# **SERVICE MANUAL**

# RA-1 CHASSIS

MODEL	COMMANDER	DEST.	CHASSIS NO.	MODEL	COMMANDER	DEST. CHASSIS NO.
KP-41T25	RM-Y121	us	SCC-H53L-A	KP-46S17	RM-Y121	Canadian SCC-H58J-A
KP-41T25	RM-Y121	Canad	dian SCC-H58H-A	KP-53S17	RM-Y121	Canadian SCC-H58K-A
KP-46S25	RM-Y118	us	SCC-H53J-A			
KP-53S25	RM-Y118	us	SCC-H53K-A			

#### Note:

1. This servce manual handles differences from KP-41T15/46 S15/53S15(RA-1 Chassis)service manual only. Please use this service manual together with that of KP-41 T15/46S15/53S15(RA-1 Chassis).

KP-41T15/46S15/53S15(RA-1 Chassis)service manual Part No.

	Service manual	Adjustment Manual
Part No.	9-965-042-01	9-965-043-01

2. Adjustment Manual for this model is separately published.


	Adjustment Manual
Part No.	9-965-101-11



RM-Y121 RM-Y118



KP-41T25



KP-46S25/53S25



TRINITRON® COLOR TV SONY

\* Please file according to model size. ......

53

### **SPECIFICATIONS**

Projection system	3 picture tubes, 3 lenses, horizontal in-	Speaker
	line system	
Picture tube	7 inch high-brightness monochrome	Speaker output
	tubes (6.3 rester size), with optical	Power requirem
	coupling and liquid cooling system	Power consump
Projection lenses	High performance, large-diameter	
	hybrid lens F1.0	
Screen size (measure	ed diagonally)	Di
	KP-41T25 41 inches	KP-41T25 95
	KP-46S17 46 inches	(3
	KP-53S17 53 inches	KP-46S17 1,0
		(4:
	KP-46S25 46 inches	KP-53S17 1,2
	KP-53S25 53 inches	(4)
		KP-46S25 1,0
Screen brightness	KP-41T25 1900 cd/m <sup>2</sup>	(4)
	KP-46S17 1500 cd/m <sup>2</sup>	KP-53S25 1,2
	KP-53S17 1200 cd/m <sup>2</sup>	(4)
	KP-46S25 1500 cd/m <sup>2</sup>	Supplied access
		commander RM
	KP-53S25 1200 cd/m <sup>2</sup>	RM
Television system	American TV standards	141
Channel coverage	VHF: 2-13 / UHF: 14-69 /	Optional access
	CATV : 1-125	Optional access
Antenna	75 ohm external antenna terminal for	
	VHF/UHF	
Inputs/output	VIDEO IN 1	
	S VIDEO IN (4-pin mini DIN):	
	Y: 1 Vp-p, 75-ohms	
	unbalanced, sync negative	
	C: 0.286 Vp-p (Burst signal) 75 ohms	
	VIDEO (phone jack):	
	1 Vp-p, 75-ohms	
	unbalanced, sync negative	
	AUDIO (phone jacks):	
	500 mVrms (100% modulation)	
	Impedance: 47 kilohms	Design and spec
	VIDEO INPUT 2 and VIDEO IN 3	
	VIDEO (phone jacks):	
	1 Vp-p, 75-ohms	
	unbalanced, sync negative	
	AUDIO (phone jacks):	
	500 mVrms (100% modulation)	4
	Impedance: 47 kilohms	
	MONITOR OUT	1
	VIDEO (phone jack):	
	1 Vp-p, 75-ohms	
	unbalanced, sync negative	
	AUDIO (phone jacks) ·	
:	500 mVrms (100% modulation)	
	Impedance: 10 kilohms	

AUDIO OUT (phono jacks): 900 mVrms (100% modulation)

Impedance: 5 kilohms

Speaker		Tun fange speaker	
		100 mm (3.9 inches) dia	ameter
Speaker out	tput	10 W x 2	
Power requ	irement	120 V, 60 Hz	
Power cons	umption	220 W	
		Standby mode: 4 W	
	Dimensio	ons (W/H/D)	Mass
KP-41T25		000 x 588 mm	53 kg
	(37 1/2 x	39 3/8 x 23 1/4 inches)	(116 lbs 1 oz)
KP-46S17		,306 x 543 mm	70 kg
	(42 x 51	1/2 x 21 1/2 inches)	(154 lbs 5 oz)
KP-53S17	1,218 x 1	,413 x 594 mm	75 kg
	(48 x 55	3/4 x 23 1/2 inches)	(165 lbs 6 oz)
KP-46S25	1,066 x 1	,306 x 543 mm	70 kg
	(42 x 51	1/2 x 21 1/2 inches)	(154 lbs 5 oz)
KP-53S25	1,218 x 1	,413 x 594 mm	75 kg
	(48 x 55	3/4 x 23 1/2 inches)	(165 lbs 6oz)
Supplied ac	cessories		Remote
commander	RM-Y121	(1)(For KP-41T25,46S1	7/53S17)
	RM-Y118	3 (1)(For KP-46S25,53S2	25)
		Size AA (R6) battery (1	.)
Optional ac	cessories	U/V mixer EAC-66	
		Connecting cables RK-	74A,
		VMC-810S/820S, YC-1	5V/30V,
		VMC-720M	
		Video tray SU-PJT2 (Fo	or KP-46S17,
		KP-53S17,KP-46S25,K	P-53S25)
		Stand SU-41T1 (For KI	•
		High - contrast protective	
		SCN-41X1 (For KP-41)	•
		SCN-46X1 (For KP-46)	•
		SCN-53X1 (For KP-53)	S17,KP-53S25)

Full range speaker

Design and specifications are subject to change without notice.

#### **SAFETY CHECK-OUT**

(US model only)

After correcting the original service problem, perfom the following safety checks before releasing the set to the customer:

- Check the area of your repair for unsoldered or poorly-soldered connections. Check the entire board surface for solder splashes and bridges.
- 2. Check the interboard wiring to ensure that no wires are "pinched" or contact high-wattage resistors.
- Check that all control knobs, shields, covers, ground straps, and mounting hardware have been replaced. Be absolutely certain that you have replaced all the insulators.
- 4. Look for unauthorized replacement parts, particularly transistors, that were installed during a previous repair. Point them out to the customer and recommend their replacement.
- Look for parts which, through functioning, show obvious signs of deterioration. Point them out to the customer and recom mend their replacement.
- 6 Check the line cords for cracks and abrasion. Recommend the replacement of any such line cord to the customer.
- 7. Check the condition of the monopole antenna (if any). Make sure the end is not broken off, and has the plastic cap on it. Point out the danger of impalement on a broken antenna to the customer, and recommend the antenna's replacement
- Check the B+ and HV to see they are at the values specified.
   Make sure your instruments are accurate; be suspicious of your HV meter if sets always have low HV.
- Check the antenna temminals, metal trim, "metallized" knobs, screws, and all other exposed metal parts for AC leakage. Check leakage as described below.


#### **LEAKAGE TEST**


The AC leakage from any exposed metal part to earth ground and from all exposed metal parts to any exposed metal part having a return to chassis, must not exceed 0.5mA (500 microampers). Leakage current can be measured by any one of three methods.

- A commercial leakage tester, such as the Simpson 229 or RCA WT-540A. Follow the manufacturers' instructions to use these instruments.
- A battery-operated AC milliammeter. The Data Precision 245 digital multimeter is suitable for this job.
- 3. Measuring the voltage drop across a resistor by means of a VOM or battery-operated AC voltmeter. The "limit" indication is 0.75V, so analog meters must have an accurate lowvoltage scale. The Simpson 250 and Sanwa SH-63Trd are examples of a passive VOM that is suitable. Nearly all battery operated digital multimeters that have a 2V AC range are suitable (See Fig. A)

#### **HOW TO FIND A GOOD EARTH GROUND**

A cold-water pipe is guaranteed earth ground; the cover-plate retaining screw on most AC outlet boxes is also at earth ground. If the retaining screw is to be used as your earth-ground, verify that it is at ground by measuring the resistance between it and a cold-water pipe with an ohmmeter. The reading should be zero ohms. If a cold-water pipe is not accessible, connect a 60-100 watts trouble light (not a neon lamp) between the hot side of the receptacle and the retaining screw. Try both slots, if necessary, to locate the hot side of the line, the lamp should light at normal brilliance if the screw is at ground potential. (See Fig. B)





#### **TABLE OF CONTENTS**

	Section	Title	Page	Sec	ction	<u>Title</u> Pa	age
2.	2-1-1 2-1-2. 2-2. 2-3. 2-4 2-5. 2-6. 2-7. 2-8-1.	REAR PLATE REMOVAL (KP-41T25)	25 . 25 . 25 . 26 . 26 . 26 . 26 . 27	4.	2-9-2. 2-10-1 2-10-2 2-11. 2-12. SAFE DIAGI 4-1. 4-2 4-3 EXPL 5-1. 5-2 5-3. 5-4.	BEZNET REMOVAL (KP-41T25) BEZNET REMOVAL (KP-46S25/53S25) MIRROR COVER REMOVAL (KP-41T25) MIRROR COVER REMOVAL (KP-46S25/53S25) HIGH-VOLTAGE CABLE INSTALLATION AND REMOVAL PICTURE TUBE REMOVAL  TY RELATED ADJUSTMENTS  RAMS  Circuit Boards Location Printed Wiring Board and Schematic Diagrams  • HA Board  • A Board  • U Board  • W Board  • P Board  • E Board  • E Board  • CB Board  • ZB Board  • CR Board	27 28 28 28 28 28 29 35 35 36 36 41 44 45 16 66 73 76 77 77 81 82 83 83 84 84 85 86 86 86 86 86 86 86 86 86 86 86 86 86

#### (CAUTION)

SHORT CIRCUIT THE ANODE OF THE PICTURE TUBE AND THE ANODE CAP TO THE METAL CHASSIS, CRT SHIELD, OR CARBON PAINTED ON THE CRT. AFTER REMOVING THE ANODE.

#### WARNING!!

AN ISOLATION TRANSFORMER SHOULD BE USED DURING ANY SERVICE TO AVOID POSSIBLE SHOCK HAZARD, BECAUSE OF LIVE CHASSIS.

THE CHASSIS OF THIS RECEIVER IS DIRECTLY CONNECTED TO THE AC POWER LINE.

#### SAFETY-RELATED COMPONENT WARNING!!

COMPONENTS IDENTIFIED BY SHADING AND MARK & ON THE SCHEMATIC DIAGRAMS, EXPLODED VIEWS AND IN THE PARTS LIST ARE CRITICAL TO SAFE OPERATION. REPLACE THESECOMPONENTS WITH SONY PARTS WHOSE PART NUMBERS APPEAR AS SHOWN IN THIS MANUAL OR IN SUPPLEMENTS PUBLISHED BY SONY. CIRCUIT ADJUSTMENTS THAT ARE CRITICAL TO SAFEOPERATION ARE IDENTIFIED IN THIS MANUAL. FOLLOW THESE PROCEDURES WHENEVER CRITICAL COMPONENTS ARE REPLACED OR IMPROPER OPERATION IS SUSPECTED.

#### (ATTENTION)

APRES AVOIR DECONNECTE LE CAP DE L'ANODE, COURTCIR-CUITER L'ANODE DU TUBE CATHODIQUE ET CELUI DE L'ANODE DU CAP AU CHASSIS METALLIQUE DE L'APPAREIL, OU AU COUCHE DE CARBONE PEINTE SUR LE TUBE CATHODIQUE OU AU BLINDAGE DU TUBE CATHODIQUE.

#### ATTENTION!!


AFIN D'EVITER TOUT RISQUE DELECTROCUTION PROVENANT D'UN CHÁSSIS SOUS TENSION, UN TRANSFORMATEUR D'ISOLEMENT DOIT ETRE UTILISÉ LORS DE TOUT DEPANNAGE. LE CHÁSSIS DE CE RECEPTEUR EST DIRECTEMENT RAC-CORDÉ Á L'ALIMENTATION SECTEUR.

## ATTENTION AUX COMPOSANTS RELATIFS ÁLA SÉCURITÉ!!


LES COMPOSANTS IDENTIFIÉS PAR UNE TRAME ET PAR UNE MAPQUE ▲ SUR LES SCHÉMAS DE PRINCIPE, LES VUES EXPLOSÉES ET LES LISTES DE PIECES CONT D'UNEIMPORTANCE CRITIQUE POUR LA SÉCURITÉ DU FONCTIONNEMENT. NE LES REMPLACER QUE PAR DES COMPOSANTS SONY DONT LE NUMÉRO DE PIÉCE EST INDIQUÉ DANS LE PRÉSENT MANUEL OU DANS DES SUPPLÉMENTS PUBLIÉS PAR SONY. LES RÉGLAGES DE CIRCUIT DONT L'IMPORTANCE EST CRITIQUE POUR LA SÉCURITÉ DU FONCTIONNEMENT SONT IDENTIFIES DANS LE PRÉSENT MANUEL. SUIVRE CES PROCÉDURES LORS DE CHAQUE REMPLACEMENT DE COMPOSANTS CRITIQUES, OU LORSQU'UN MAUVAIS FONCTIONNEMENT EST SUSPECTÉ.

# SECTION 2 DISASSEMBLY


# 2-1-1. REAR PLATE REMOVAL (KP-41T25)



### 2-2. CHASSIS ASSY REMOVAL




# 2-1-2. REAR PLATE REMOVAL (KP-46S25/53S25)




### 2-3. SERVICE POSITION


· Remove the chassis assy (Refer to 2-2.)




#### 2-4. G BOARD REMOVAL



### 2-6. U BOARD REMOVAL




#### 2-5. D BOARD REMOVAL




#### 2-7. M BOARD REMOVAL


- ① Remove the D board. (Refer to 2-5.)
- 2 Remove the U board. (Refer to 2-6.)




# 2-8-1. HA BOARD REMOVAL (KP-41T25)




# 2-9-1. BEZNET REMOVAL (KP-41T25)




# 2-8-2. HA BOARD REMOVAL (KP-46S25/53S25)




# 2-9-2. BEZNET REMOVAL (KP-46S25/53S25)




# 2-10-1. MIRROR COVER REMOVAL (KP-41T25)




### 2-11.HIGH-VOLTAGE CABLE INSTALLATION AND REMOVAL



# 2-10-2. MIRROR COVER REMOVAL (KP-46S25/53S25)



### 2-12. PICTURE TUBE REMOVAL



# SECTION 3 SAFETY RELATED ADJUSTMENTS

ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
HV HOLD DOWN CIRCUIT OPERATIONS CHECK AND ADJUSTMENT (*M RESISTOR)			* <b>■</b> R809, R988	E BOARD – COMPONENT SIDE –
When replacing the parts marked * on the right, check the HV hold down and adjust.		* marked parts C818, D804, D806, D809, D909, D912, Q915, R809, R855, R856, R857, R858, R954, R955, R983, R984, R988, R991, R995, R996, R998, T801,T803 FBT E board HV Block		CN886 CN885
<ol> <li>Remove the cap for the unconnected pin in the *high-voltage block and connect a *Static Voltmeter meter.</li> <li>Input 130 VAC power.</li> </ol>	*Static Voltmeter	*HV Block		* Remove the cap off from the unused terminal and connect a static voltmeter there.
Receive the *Dot siganl and set the *PICTURE and BRIGHTNESS settings to their minimums.	*Dot pattern		*PICTUREminimum BRIGHTNESSminimum	,
<ol> <li>Connect a *33 kΩ variable resistor across the E board *CN885 connector (with the variable resistor set to its maximum).</li> </ol>				* CN885

- 29

ADJUSTM	ENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
that the hold down reading of *33.7 ± 6. If the hold down of Static Voltmeter resistor *R809 and If hold-down can kΩ resister, use a If the hold down of Static Voltmeter resistor R809 and 7. Check Item 5 again HV REGULATION (*M RESISTOR)  When replacing the pregulation and adjust.  1. Remove the cap for block and connect 2. Input 120 VAC possible 3. Receive the *Dot	circuit operates and the rasters disappear at a ading of *32.9 VDC or lower, remove mount *6.2 kΩ 1/4W RN at *R988.  In.  CIRCUIT CHECK AND ADJUSTMENT  arts marked * on the right, check the HV  or the unconnected pin in the *high-voltage ta *Static Voltmeter.	*Static Voltmeter *Dot pattern	* marked parts C918, C930, C934, C980, D902, D920, D925, Q909, R808, R851, R929, R936, R939, R942, R944, R945, R946, R947, R950, R960, R965, R967, R971, R975, R976, R982, R983, R985, R998	*R988  *R988  *PICTUREminimum BRIGHTNESSminimum	*33.7 ± 0.75 kVDC  *34.45 VDC or higher *16.0 kΩ 1/4W  *32.95 VDC or lower *6.2 kΩ 1/4W  R809 R988  E BOARD – COMPONENT SIDE –  CN886 CN885 CN884  CN886 CN885 CN884  R809 RR809 RR808

ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
<ol> <li>Check that the Static Voltmeter reading is *31. <sup>40.45</sup>/<sub>-0.65</sub> kVDC.</li> <li>If the Static Voltmeter reading is *30.4 kV or lower, remove resistor *R808 and mount *5.6 kΩ 1/4W RN at *R983.</li> <li>If the Static Voltmeter reading is *31.4 KV or higher, remove resistor *R808 and mount *8.2 kΩ 1/4W RN at *R983.</li> <li>If the Static Voltmeter reading is *32.0 kV or higher, remove resistor *R808 and mount *10.0 kΩ 1/4W RN at *R983.</li> <li>If any of Items 5, 6 or 7 has been implemented, check Item 4 again.</li> </ol>			*R983 *R983 *R983	*31.0 * .0.45 kVDC *30.4 kV or lower *5.6 kΩ 1/4W *31.4 KV or higher *8.2 kΩ 1/4W *32.0 kV or higher *10.0 kΩ 1/4W  R808  R983
HV HOLD DOWN AND HV REGULATOR SIMPLE ADJUSTMENT  It is normally desirable that the HV hold down and HV regulation checks use a high-voltage meter. However, sometime one is not available, for example in the field, below is a simple adjustment method.  When replacing parts with the mark, replace both the resistors with the mark *R808 (R988) and *R809 (R983) with resistors one rank lower in the E-12 series. Do not replace just one of these resistors! Always replace both with resistors one rank lower.			*R808 (R988) *R809 (R983)	* E board CN886 CN885 O O O O O O O O O O O O O O O O O O O


ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
OVERVOLTAGE PROTECTION (OVP) OPERATIONS CHECK				
<ol> <li>Connect a *220 kΩ variable resistance rheostat to the G board C655 (between Pins ③ and ⑤ of IC651).</li> </ol>				* IC651 \$\subseteq (\frac{1}{5}\) (\frac{4}{3}\) (\frac{1}{5}\) (\frac{1}{220kΩ}\)
<ol> <li>Input *120.0 ± 1.0 VAC, 60 Hz power.</li> <li>Receive the *Dot signal and set the *PICTURE and BRIGHTNESS settings to their minimums.</li> </ol>	*Dot pattern		*PICTUREminimum BRIGHTNESS	*120.0 ± 1.0 VAC, 60 Hz
<ul> <li>4. Gradually lower the value of the connected variable resistance and check that when the +B line *voltage is *143.5 ± 5.5 VDC, the overvoltage circuit operates and the rasters disappear.</li> <li>5. Remove the variable resistor and check the +B line voltage.</li> </ul>	*Digital Multimeter		minimum	*143.5 ± 5.5 VDC
BEAM CURRENT (∑IK) PROTECTION CIRCUIT CHECK				
<ol> <li>Connect the *ABL ammeter between *Pins ① and ④ of the CN884 on the E board. Have Pins ② and ③ open.</li> </ol>	*Ammeter			* CN884 (E board) 5 0 0 0 0 1 ABL ammeter
<ol> <li>Input *120.0 ± 1.0 VAC, 60 Hz power.</li> <li>Receive a *monoscope signal and set the *PICTURE and BRIGHTNESS settings to their minimums.</li> </ol>	*Monoscope pattern		*PICTUREminimum BRIGHTNESSminimum	*120.0 ± 1.0 VAC, 60 Hz

ADJUSTMENT ITEM AND PROCEDURE	EQUIPMENT AND SIGNAL	MEASUREMENT POSITION	ADJUSTMENT LOCATION	ILLUSTRATION AND SHAPE AND NUMBER
4. Gradually raise the *PICTURE and BRIGHTNESS settings and check that below an *ABL current of 3.35 mA (including dark current), the beam current protection circuit operates and the rasters disappear.			*PICTURE BRIGHTNESS	*Less than 3.35 mA
+B, +B MAX CHECK When replacing the G board IC651, check the following.				E BOARD – COMPONENT SIDE –
				1C651 4
<ol> <li>Input *120.0 ± 1.0 V, 60 Hz power.</li> <li>Receive the *Dot signal and set the *PICTURE and BRIGHTNESS settings to their minimums.</li> </ol>	*Dot pattern		*PICTUREminimum BRIGHTNESS	*120.0 ± 1.0 V, 60 Hz
<ol> <li>Check that the *+B line voltage is now *135.0 ± 2.0 VDC.</li> <li>Set the power supply to *130.0 +2.0 VAC.</li> <li>Check that the *+B line voltage is *137.0 VDC max.</li> <li>If either 3 or 5 is not satisfied, replace IC651 again.</li> </ol>		*CN681 pin ① *CN681 pin ①	minimum	*135.0 ± 2.0 VDC *130.0 <sup>+2.0</sup> VAC *Less than 137.0 VDC

MEMO
,
· · · · · · · · · · · · · · · · · · ·
••••••
•••••••••••••••••••••••••••••••••••••••
-5

### SECTION 4 DIAGRAMS

#### 4-1. CIRCUIT BOARDS LOCATION



### 4-2. PRINTED WIRING BOARD AND **SCHAMATIC DIAGRAMS**

Note:

• All capacitors are in μF unless otherwise noted, pF: μμF 50WV or less are not indicated except for electrolytics and tantalums.

 All resistors are in ohms.  $k\Omega = 1000 \Omega$ ,  $M\Omega = 1000 k\Omega$ 

• Indication of resistance, which dose not have one for rating electrical power, is as follows.

Pitch: 5mm Rating electrical power: 1/4W

• - : nonflammable resistor.

: fusible resistor.

Δ : internal component.

: panel designation and adjustment for repair.

• All variable and adjustable resistors have characteristic curve B, unless otherwise noted.

: earth-chassis.

• The components identified by E in this basic schematic diagram have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation.

Should replacement be required, replace only with the value originally used.

• When replacing components identified by , make the necessary adjustments indicated. If results do not meet the specified value, change the component identified by E and repeat the adjustment until the specified value is achieved.

(Refer to R808, R809, R983 and R988 adjustment on Page 29 - 33 \

• When replacing the part in below table, be sure to perform the related adjustment.

Part replaced (  )	Adjustment ( 🔀 )		
HVBlock Q915, D804, D806, D809, D909, D912, C818, R809, R855, R856, R857, R858, R954, R955, R983, R984, R988, R991, R995, R996, R998, T801(FBT), T803 E BOARD	HV HOLD-DOWN (R809, R988)		
HV Block, Q909, D902, D920, D925, C918, C930, C980, R808, R851, R929, R936, R939, R942, R944, R945, R946, R947, R950, R960, R965, R967, R971, R975, R976, R982, R983, R985, R998E BOARD	HV Reagurator (R808, R983)		

Reference information

RESISTOR : RN METAL FILM : RC SOLID : FPRD NONELAMMABLE CARBON : FUSE NONFLAMMABLE FUSIBLE NONFLAMMABLE WIREWOUND : RW NONFLAMMABLE METAL OXIDE : RS NONFLAMMABLE CEMENT : RB : \* ADJUSTMENT RESISTOR : LF-8L MICRO INDUCTOR COIL CAPACITOR : TA **TANTALUM** : PS STYROL · PP POLYPROPYLENE : PT **MYLAR** METALIZED POLYESTER : MPS

: MPP METALIZED POLYPROPYLENE : ALB **BIPOLAR** 

HIGH TEMPERATURE : ALT

HIGH RIPPLE : ALR

· As to the voltage volue shown by the semiconductors on the Schematic Diagram, see the another list.

· Readings are taken with a color-bar signal input.

ullet Readings are taken with a 10M  $\Omega$  digital multimeter.

• Voltages are dc with respect to ground unless otherwise noted.

• Voltage variations may be noted due to normal production tolerances.

All voltages are in V.

\*: Measurement impossibility.

· Circled numbers are waveform references.

: B + bus.

=== : B - bus.

• : signal path.(RF) 


Note: The symbol display is on the component side.

The components identified by shading and mark ⚠ are critical for safety. Replace only with part number specified.

The symbol - indicate fast operating fuse. Replace only with fuse of same rating as maked.


Note: Les composants identifiés per un tramé et une marque ∆ sont critiques pour la sécurité. Ne les remplacer que par une piéce portant le numéro spécifié.

Le symbole Indique une fusible a action rapide. Doit etre remplacee par une fusible de meme yaleur, comme maque.






### - HA BOARD -



Schematic diagrams


← HA board

BY 5V
E IRCS
E ENS 0
DWER
ERED
IMER
1346
HICRO
HB BOARS HI347
HICRO
VOUT
E
LOUT
E
ROUT
E
BOARB




- 38 -	_	JO	-	
--------	---	----	---	--


\*




- 39 -

IC270










- 47 -




### - U BOARD -









- 55 -



В С D

	$\mathbf{p}$	ADD	* MARK	
IVI	nu,	ARIJ	* MAKK	

	KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25		KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25		KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25
350	10	·		Q312	2SD601A	<u>-</u>	-	R369	3.3K		
354	22P	-	-	Q314	2SD601A	-	-	R371	1.0K	-	-
355	22	-	-	Q315	2SD601A	-	-	R372	1.2K	•	-
357	47 25V	-	-	Q316	2SD601A	-	-	R373	270	-	
358	15P	-	-	Q317	2SB709A	-	-	R374	33K		-
359	220P	-	-	Q318	2SD601A	-	•	R375	12K	-	•
360	10		-	Q319	2SD601A	-	-	R376	68K	-	•
361	10		-	Q320	2SD601A	-	-	R377	560		<del></del>
362	22P	-	-	Q321	2SD601A	-		R378	2.7K		•
363	0.001	-	<u>-</u>	R348	1.0K	-	-	R379	27K	•	•
364	10		-	R352	2.2K	-	-	R380	100K		•
365	22P	•	-	R353	6.8K	-	-	R381	8.2K		•
N314	6P	•	-	R356	180	•	-	R382	33K		•
0320	MA110	-	-	R357	180	-	-	R383	560		•
321	MA110	-	-	R359	330	•	-	R384	1.5K	-	•
322	MA110	-	•	R362	270	•	-	R385	33K	•	•
323	MA110	-	-	R363	1.0K	•	-	R386	1.0M		
324	MA110	-	•	R364	100	-	•	R387	1.0K	•	•
0325	MA110	-	•	R366	1.5K			R388	100		•
C002	CXP85332A-046S	CXP85340A-06S	CXP85332A-046S	R367	2.2K	-		R389	220		*
310	2SD601A		-	R368	100	-		R393	1K	1	


- 57 -


5	6	7	8	9
			BEACN055	ness E E
			HOSE GOT - B	
				MIND S
		1013	100	
2 1523 E E		(434 A020 A027		
1 31 GS05 1 GS05 1				C083 C000 C000 C000 C000
			武皇政	1004 Cura
				(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
		全集		COL
				0012 0015 0015 0015
				C025
		CIAC AND SALE	Re61 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	C026

(D)	KP-46S17/53S17(CND)	KP-46S25/53S25		KP-41T25(US/CND)	KP-46S17/53S17(CND)	KP-46S25/53S25
		-	R369	3.3K	- 1	-
	•		R371	1.0K	•	-
		•	R372	1.2K	-	
	-	-	R373	270	-	-
	-	•	R374	33K	-	
	-	•	R375	12K	-	•
	-		R376	68K		•
	-	•	R377	560	-	-
	-		R378	2.7K	-	-
	- 1		R379	27K	-	-
		-	R380	100K	- 1	•
	-	•	R381	8.2K	-	-
	<b>-</b> .	•	R382	33K	-	
	-		R383	560		-
		•	R384	. 1.5K	-	-
		•	R385	33K	-	-
	•	•	R386	1.0M	-	-
	-	-	R387	1.0K	-	•
		-	R388	100	-	•
			R389	220		-
	-	-	R393	1K	<u> </u>	




– P BOARD ~






### Note ·

- Pattern from the side which enables seeing.
- Pattern of the rear side.





- 60 -


les seeing.



- 62 -









### NOTE:

The circuit indicated as left contains high voltage of over 600 Vp-p. Care must be paid to prevent an electric shock in inspection or repairing.

- 69 - - - **70 -**





ge of over ic shock in




- 71 -


E CN610 8






Schematic diagrams












### - ZB BOARD -





### - ZG BOARD -




# - ZR BOARD -











[G OUT]

- CG BOARD -




CB

- CB BOARD -




[ROUT]

DARD -








CB [BOUT]

– CB BOARD –



### 4-3. SEMICONDUCTORS








16 pin DIP

PA0053B Z8622812PSC

PM0002B



DTC323TS 2SA1175-HFE 2SC2785-HFE

IRFI640LF

LETTER SIDE





LETTER SIDE


2SB649A-C

2SC2688-LK

ERC91-02TP11 RD10ESB2 RD11ESB2 RD13ESB2 RD15ESB2 RD18ESB2

**D1N20R** 


ERA85-009



**D1NL20** 

EL1Z **ERD28-08S** GP08D RGP02-20EL-6394


**1SS83** 




EGP-20G

CATHODE

ANODE
















**SLR-325VCT31** 







**CXA1477AS** CXA1855S


24 pin SIP






MB86144BPF-G-BND





PQ05RF1 PQ09RA1



TDA8424

UPC339C


UPC574J

ANÓDE


UPC78N05H

CATHODE


TDA6101Q



2SA1013-R-TPE6




2SA1208-S



2SC4632LS-CB7 2SD1877-CA

2SC2878-AB





2SC4834M







D10SBS4-F D4SBS4-F LN4SB60-F



ANODE

D8LC40-F

D2S4MF




DAN202K



DAP202K




48 pin DIP



CXP85112B-SX377




**MCT7812CT** 



SBX1780-51



TOP VIEW 14 pm DIP



2SA1162-G 2SC1623-L5L6 2SD601A-Q




2SA1221-L 2SB733-34 2SD774-34



2SA1492M-OPY



STK392-010



NJM2058D

TOP VIEW

14 pm DIP


NJM7805FA

NJM7812FA


NJM78M09FA TA7805S TA7812S




STV9379



MARKING SIDE VIEW



DTC124ES






2SC2458-YGR


- 85 -

### - 86 -



MC7905CT

M5218AP ST24C01CB1 ST24C04CB1 UPC358C



MB3512PFQ

























TOP VIEW 20 pin DIP







UPC78N05H







IRFI640LF
















2SB649A-C 2SC2688-LK LETTER SIDE



















D1NL20 D1NL40-TR2 D2L40-TA EL1Z **ERD28-08S** GP08D RGP02-20EL-6394 **1SS83** 
















EGP-20G










HVU359TRF









**SLR-325VCT31** 



# SECTION 5 EXPLODED VIEWS

### NOTE:

 Items with no part number and no description are not stocked because they are seldom required for routine service


### 5-1. SCREEN AND CONTROL BLOCK

● 7-685-648-79 +BVTP 3X12
△ 7-685-661-79 +BVTP 4X12
■ 7-685-663-79 +BVTP 4X16

- The construction parts of an assembled part are indicated with a collation number in the remark column.
- Items marked " \* " are not stocked since they are seldom required for routine service Some delay should be anticipated when ordering these items

The componants identified by shading and mark A are critical for safety Replace only with part number specified


Les composants identifies par une trame et une marque A son critiques pour la securite son les remplacer que par une piece portant le numero specifie



REF NO	PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION REMAI	RK_
1 2 3 4	X-4032-545-1 4-048-000-01 4-047-999-01 4-047-998-01	PANEL ASSY, CONTROL DOOR, CONTROL FILTER, REMOTE GUIDE, LIGHT, LED		14 *	4-036-091-31 4-037-351-01 4-037-351-01 4-047-861-01	HOLDER (L), SCREEN HOLDER, MIRROR HOLDER, MIRROR MIRROR (41), REFLECTION	
5	4-048-001-01	BUTTON, MULTI			X-4032-607-1	COVER, MIRROR	
6 7 8 9	1-504-785-11 4-041-164-11	HA BOARD, COMPLETE SPEAKER (10CM) SCREW (4X20), TAPPING BEZNET ASSY PLATE (L), DIFFUSION		18 *	4-047-837-01 4-049-096-01 4-049-098-01	PLATE (41), REAR HOLDER (RIGHT), SIDE (KP-46S17/46S25/53S17/53 CUSHION (KP-46S17/46S25/53S17/53	,
11 12	4-047-943-11 4-036-092-01	PLATE (F), DIFFUSION HOLDER (S), SCREEN		20 *	4-049-097-01	HOLDER (LEFT), SIDE (KP-46S17/46S25/53S17/53	3\$25)

### 5-2. MIRROR COVER AND POWER BLOCK

↑ 7-685-648-79
 ↑ 7-685-661-79
 ↑ 7-685-663-79
 ↑ 7-685-666-79
 ↑ BVTP 4X12
 ↑ +BVTP 4X16
 ↑ +BVTP 4X30




REF NO	D. PART NO	DESCRIPTION	REMARK	REF	NO	PART NO	DESCRIPTION	REMARK
51		GRILLE ASSY, SPEAKER	52	63		4-048-159-01	HOLDER (L), SCREEN (KP-4	
52	4-048-000-01	DOOR, CONTROL	į			4-048-159-11	HOLDER (L), SCREEN (KP-5	
53	4-047-999-01	FILTER, REMOTE	į	64		4-048-159-21	HOLDER (L), SCREEN (KP-4	
54	4-047-998-01	GUIDE, LIGHT, LED	į		*,	4-048-159-31	HOLDER (L), SCREEN (KP-5	53\$17/53\$25)
55	4-048-001-01	BUTTON, MULTI						
				65		4-036-092-01	HOLDER, MIRROR	
56	* A-1372-099-A	HA BOARD, COMPLETE		66		4-048-181-01	MIRROR (46), REFLECTION	I (KP-46S17/46S25)
57	4-041-164-11	SCREW (4X20), TAPPING	i			4-048-181-01	MIRROR (53), REFLECTION	(KP-53S17/53S25)
58	1-504-785-11	SPEAKER (10CM)		67	*	X-4032-619-3	COVER ASSY, MIRROR (KF	P-46S17/46S25)
59	X-4032-617-2	BEZNET ASSY (46S) (KP-46S17/46	S25)		*	X-4032-620-3	COVER ASSY, MIRROR (KF	P-53S17/53S25)
	X-4032-618-1	BEZNET ASSY (53S) (KP-53S17/53						,
		, , ,	ĺ	69	*	4-048-160-01	PLATE, SHIELD (KP-46S17/-	46S25)
60	4-036-466-11	PLATE (L), DIFFUSION (KP-53S17	/53S25)		*	4-048-161-01	PLATE, SHIELD (KP-53S17/	53S25)
	4-037-360-11	PLATE (L), DIFFUSION (KP-46S17		70	*.	4-048-168-01	PLATE, REAR (KP-53S17/53	
61	4-036-469-01	PLATE (F), DIFFUSION (KP-53S17,			*	4-048-169-01	PLATE, REAR (KP-46S17/46	
	4-048-205-11	PLATE (F), DIFFUSION (KP-46S17)		71	*.	4-049-098-01	CUSHION	,
62	* 4-048-152-01	HOLDER (S), SCREEN (KP-46S17/4						
				72	*.	4-049-096-01	HOLDER (RIGHT), SIDE	
	* 4-048-152-11	HOLDER (S), SCREEN (KP-53S17/5	(3825)	73		4-049-097-01	HOLDER (LEFT), SIDE	
		TIGELETT (B), SEREET (RI SSOTTE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 5			1102221 (221 1), 0102	

The componants identified by shading and mark  $\triangle$  are critical for safety Replace only with part number specified

Les composants identifies par une trame et une marque \( \Lambda \) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

### 5-3. DC AND E BLOCK

7-685-648-79 +BVTP 3X12
 7-685-663-79 +BVTP 4X16




REF N	O PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
102	* A-1316-212-A	RESISTOR ASSY (HIGH-VC G BOARD, COMPLETE				U BOARD, COMPLETE OU BOARD, COMPLETE	(KP-46S17/53S17) KP-41T25/46S25/53S25)
103	A1-709-837-11	CORD, POWER(WITH NOI	(7.0A/125V)	118	* A-1195-062-A	P BOARD, COMPLETE	KI -41 (23/40323/33323)
104	* 3-659-682-11	HOLDER, PC BOARD	*	119	4-047-951-01	TERMINAL BOARD (A)	
105	* 4-382-848-02	HOLDER, PCB		120	4-041-165-01	SCREW (3X12), TAPPIN	G, +BV
106	* 3-703-141-11	HOLDER PCR		121	4-047-952-11	TERMINAL BOARD (B)	
107		E BOARD, COMPLETE		122	1-561-306-00	JACK, PIN (F) (KP-46S17	
107		TRANSFORMER ASSY, FL	YRACK	123	1-556-945-21	CABLE, P-P	,
100	E 1 455 107 11	Homes on English in the Control of t	(NX2631//A4S)		* 4-047-950-01	BRACKET, D PC BOARI	D
109	A 1-900-211-34	LEAD ASSY, HV			* A-1346-296-A	D BOARD, COMPLETE	
110	* 3-687-542-41	SPACER, PC BOARD SPAC	E			•	
110	3 007 512 11	51.16211,16261111	_	126	* 4-047-949-01	BRACKET, MAIN PC BO	DARD
111	4-041-164-11	SCREW (4X20), TAPPING		127	₹8-598-047-11	TUNER, ET (BTF-LA401	)
112		BLOCK ASSY, HIGH-VOLT	FAGE			(	KP-41T25/46S25/53S25)
113		CAP (Z), RUBBER		128	1-557-056-41	CABLE, P-P	
114	* A-1297-605-A	A BOARD, COMPLETE (KI	P-46S17/53S17)	129		TR2 BOARD, COMPLET	
		A BOARD, COMPLETE (KI		130	4-047-937-01	LAVEL (B), TERMINAL	, \$17/46\$25/53\$17/53\$25)
	* A 1207 914 A	A BOARD, COMPLETE (KI	2 41T25)			(121 400	3177-10023733017733023)
115		TUNER (BTF-WA402)	-41123)	131	4-049-665-01	LAVEL, IN/OUT	
116		M BOARD, COMPLETE (K	P-41T25)	132	1-417-178-11	SELECTOR, ANTENA (A	AS-2)
110		M BOARD, COMPLETE (K					\$17/46\$25/53\$17/53\$25)
		M BOARD, COMPLETE (K				(	,

The componants identified by shading and mark A are critical for safety
Replace only with part number specified

Les composants identifies par une trame et une marque Å sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie.

### 5-4. SHIELD AND MIRROR HOLDER BLOCK

■ 7-685-663-79 +BVTP 4X16



REF NO	PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
151 152	4-034-057-01 4-034-057-11	LENS (LINNIT) LENS (LINNIT)		161 '	* A-1390-491-A	ZB BOARD, COMPLETE	
	A 8-736-077-15	PITURE TUBE 07MAC2 (F	() P-41T25/46S17/46S25)		. 1-452-790-21 . 1-452-790-11		
	∄ 8-736-077-25 ∄ 8-736-075-05	PICTURE TUBE 07MAC30 PICTURE TUBE 07MAC20				CR BOARD, COMPLETE CG BOARD, COMPLETE	
	∧ 8-736-076-15	PICTURE TUBE 07MAC2			* A-1331-500-A	CB BOARD, COMPLETE	,
			P-41T25/46S17/46S25)	167 168	4-052-894-01 * X-4032-547-1	SCREW (4X20), TAPPING CABINET ASSY, BOTTO	
156	4-048-142-01 A 8-451-463-11	SPRING, TENSION DEPLECTION YOKE (Y8)			* X-4032-615-1	CABINET ASSY, BOTTO	
	∆ 8-451-463-21	DEFLECTION YOKE (Y82		168	* X-4032-616-1	CABINET ASSY, BOTTO	
159		ZR BOARD, COMPLETE (ZR BOARD, COMPLETE	KP-41T25)	169	4-047-987-01	FOOT (KP-41T25)	171,170
160			7/46S25/53S17/53S25)	170	4-048-175-01	FOOT, PLASTIC	17/46\$25/53\$17/53\$25)
160		ZG BOARD, COMPLETE	7/46S25/53S17/53S25)	171	4-040-755-01	CASTER (DIA 30)	\$17/46\$25/53\$17/53\$25)

# SECTION 6 ELECTRICAL PARTS LIST



### NOTE:

Les composants identifies par une trame et une marque A sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark  $\Lambda$  are critical for safety Replace only with part number specified

- The components identified by 
   M in this manual have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation. Should replacement be required, replace only with the value originally used.
- Items marked " \* " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items
- All variable and adjustable resistors have characteristic curve B, unless otherwise noted.

When indicating parts by reference number, please include the board name.

- CAPACITORS PF : μμ F
- There are some cases the reference number on one board overlaps on the other board. Therefore, when ordering parts by the reference number, please include the board name.

### RESISTORS

- · All resistors are in ohms
- F : nonflammable

		• F : no	onflammab	le						
REF NO	PART NO	DESCRIPTION			REMARK	REF NO	PART NO.	DESCRIPTION		REMARK
	* A-1195-062-A	P BOARD, COM				C3252	1-163-103-00	CERAMIC CHIP 27PF	5%	50V
		************* <capacitor></capacitor>				C3253 C3254 C3255 C3256 C3257	1-163-141-00 1-163-101-00 1-164-232-11	CERAMIC CHIP 22PF CERAMIC CHIP 0.001MF CERAMIC CHIP 22PF CERAMIC CHIP 0 01MF CERAMIC CHIP 100PF	5% 5% 5% 10% 5%	50V 50V 50V 50V 50V
C3201 C3203 C3204 C3205 C3206	1-126-964-11 1-126-964-11 1-126-964-11	CERAMIC CHIP ELECT ELECT ELECT	10MF 10MF 10MF	20% 10% 20% 20% 20%	16V 25V 50V 50V 50V	C3258 C3259 C3260 C3261 C3263	1-163-111-00 1-163-119-00 1-163-141-00	CERAMIC CHIP 68PF CERAMIC CHIP 56PF CERAMIC CHIP 120PF CERAMIC CHIP 0 001MF CERAMIC CHIP 0 001MF	5% 5% 5% 5% 5%	50V 50V 50V 50V 50V
C3207 C3208 C3209 C3210 C3212	1-163-117-00 1-126-962-11 1-126-967-11 1-126-962-11	ELECT ELECT	100PF 3 3MF 47MF 3 3MF	5% 5% 20% 20% 20%	50V 50V 50V 16V 50V	C3264 C3265 C3266 C3267 C3268	1-163-141-00 1-163-141-00 1-163-141-00	CERAMIC CHIP 0.1MF CERAMIC CHIP 0.001MF CERAMIC CHIP 0.001MF CERAMIC CHIP 0.001MF CERAMIC CHIP 0.001MF	5% 5% 5% 5%	50V 50V 50V 50V 50V
C3213 C3214 C3215 C3216 C3217	1-164-346-11 1-164-346-11 1-164-005-11 1-164-346-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	IMF IMF 0 47MF IMF		16V 16V 16V 25V 16V	C3269 C3270 C3271 C3272 C3273	1-165-319-11 1-165-319-11 1-165-319-11	CERAMIC CHIP 0 001MF CERAMIC CHIP 0 1MF CERAMIC CHIP 0.1MF CERAMIC CHIP 0 1MF CERAMIC CHIP 47PF	5% 5%	50V 50V 50V 50V 50V
C3218 C3219 C3220 C3221 C3222	1-126-935-11 1-164-346-11 1-164-346-11	CERAMIC CHIP ELECT CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	470MF 1MF 1MF	20%	16V 16V 16V 16V 25V	C3274 C3275 C3276 C3277 C3278	1-163-101-00 1-163-111-00 1-163-101-00	CERAMIC CHIP 22PF CERAMIC CHIP 22PF CERAMIC CHIP 56PF CERAMIC CHIP 22PF CERAMIC CHIP 22PF	5% 5% 5% 5% 5%	50V 50V 50V 50V 50V
C3223 C3224 C3225 C3226 C3227	1-164-222-11 1-164-222-11 1-164-005-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 22MF 0 22MF 0 47MF		25V 25V 25V 25V 16V	C3279 C3280 C3282	1-126-964-11	CERAMIC CHIP 0 001MF ELECT 10MF CERAMIC CHIP 1MF	5% 20%	50V 50V 16V
C3228		CERAMIC CHIP		5%	50V			<connector></connector>		
C3229 C3230 C3231 C3232	1-163-141-00 1-163-125-00	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0.001MF 220PF	5% 5% 5% 5%	50V 50V 50V 50V	CN150	1-573-297-21	CONNECTOR, BOARD TO	) BOAR	D 18P
C3233 C3234 C3235 C3236 C3237	1-164-232-11 1-164-232-11 1-164-232-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	001MF 001MF 001MF	10% 10% 10% 10% 10%	50V 50V 50V 50V 50V	D3202 D3203 D3208 D3209	8-719-404-46 8-719-110-17	<pre><diode> DIODE HVU359TRF DIODE MA110 DIODE RD10ESB2 DIODE RD10ESB2</diode></pre>		
C3238 C3239 C3240 C3241 C3242	1-163-141-00 1-163-101-00 1-163-103-00	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 001MF 22PF 27PF	5% 5% 5% 5% 10%	50V 50V 50V 50V 50V	IC3200 IC3201 IC3202	8-759-093-29	<ic> IC MSM51C262-ZS IC MB86144BPF-G-BND IC MB40176PF-G-BND-EF</ic>	7	
C3243 C3244 C3245 C3246	1-163-113-00 1-164-232-11 1-164-232-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	68PF 001MF 001MF	5% 5% 10% 10%	50V 50V 50V	IC3203 IC3204 IC3205	8-759-093-28 8-759-093-25	IC MB40176PF-G-BND-EF IC MB3512PFQ IC TC7SU04F		
C3247 C3248 C3249 C3250 C3251	1-163-125-00 1-163-117-00 1-163-113-00	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 100PF 68PF	5% 5% 5% 10%	50V 50V 50V 50V 50V	L3201 L3202		<coil> INDUCTOR 10UH INDUCTOR 180UH</coil>		





							i			
REF NO.	PART NO	DESCRIPTION	1	REMARK	REF NO	PART NO.	DESCRIPTION		Ī	REMARK
L3203 L3204 L3205	1-410-476-11	INDUCTOR 180UH INDUCTOR 33UH INDUCTOR 10UH			R3250 R3251 R3252	1-216-049-91	METAL GLAZE METAL GLAZE METAL GLAZE	1K	5% 5% 5%	1/10W 1/10W 1/10W
L3206 L3207 L3208 L3209	1-410-387-11 1-410-387-11	INDUCTOR 33UH INDUCTOR 33UH INDUCTOR 33UH INDUCTOR 33UH			R3253 R3254 R3255 R3256 R3259	1-216-043-91 1-216-041-00 1-216-043-91	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	560 470 560	5% 5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W
		<transistor></transistor>			R3260 R3263		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q3201 Q3202 Q3203 Q3204	8-729-422-27 8-729-216-22	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G			R3264 R3265 R3266	1-216-025-91 1-216-049-91	METAL GLAZE METAL GLAZE METAL GLAZE	100 1 <b>K</b>	5% 5% 5%	1/10W 1/10W 1/10W
Q3206	8-729-422-27	TRANSISTOR 2SD601A-Q			R3267 R3268	1-216-053-00	METAL GLAZE METAL GLAZE	1 5K	5% 5%	1/10W 1/10W
Q3207 Q3208 Q3209 Q3210	8-729-422-27 8-729-216-22	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G			R3269 R3270 R3271	1-216-657-11 1-216-655-11	METAL GLAZE METAL CHIP METAL CHIP	1 8K 1 5K	5% 0 50% 0.50%	1/10W 1/10W 1/10W
		PEGIGTOR.			R3273 R3274	1-216-049-91	METAL GLAZE	1K	5% 5%	1/10W 1/10W
R3201	1 216 007 01	<pre><resistor> METAL GLAZE 100K</resistor></pre>	5%	1/10W	R3275 R3276 R3277	1-216-049-91	METAL GLAZE METAL GLAZE METAL GLAZE	1K	5% 5% 5%	1/10W 1/10W 1/10W
R3202 R3203 R3204	1-216-073-00 1-216-025-91 1-216-025-91	METAL GLAZE 10K METAL GLAZE 100 METAL GLAZE 100	5% 5% 5%	1/10W 1/10W 1/10W	K3211	1-210-290-00	<crystal></crystal>	2.2	370	1/10**
R3205		METAL GLAZE 1M	5%	1/10W	X3201 X3202		VIBRATOR, CR			
R3207 R3208 R3209 R3210 R3211	1-216-097-91 1-216-079-00 1-216-089-91	CONDUCTOR, CHIP METAL GLAZE 100K METAL GLAZE 18K METAL GLAZE 47K METAL GLAZE 10K	5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W			**********		*****	*****
R3212 R3213		METAL GLAZE 10K METAL GLAZE 12K	5% 5%	1/10W 1/10W		* A-1297-605-A	A BOARD, CO	MPLETE (1	KP-46S1	7/53\$17)
R3214 R3215 R3216	1-216-121-91 1-216-057-00	METAL GLAZE 12K METAL GLAZE 1M METAL GLAZE 22K METAL GLAZE 22K	5% 5% 5%	1/10W 1/10W 1/10W 1/10W		* A-1297-813-A	A BOARD, CO	MPLETE (1	KP-46S2	5/53\$25)
R3217 R3218 R3219	1-216-049-91	METAL GLAZE 2.2K METAL GLAZE 1K METAL GLAZE 1K	5% 5% 5%	1/10W 1/10W 1/10W		* A-1297-814-A	A BOARD, CO		KP-41T2	(5)
R3220 R3221 R3222	1-216-655-11	METAL CHIP 1 5K  METAL CHIP 1.5K	5% 0 50% 0 50%	1/10W 1/10W 1/10W		4-382-854-11	SPACER, MICA SCREW (M3X10 RUBBER, SILIC	ON RTV (F	Œ490W	) (S25/53S25)
R3223 R3224	1-216-025-91	METAL CHIP 1.3K METAL GLAZE 100 METAL GLAZE 1K	5% 5%	1/10W 1/10W 1/10W				(121 -4	1123/40	323/33323)
R3225 R3226	1-216-025-91	METAL GLAZE 100 METAL GLAZE 33K	5% 5%	1/10W 1/10W			<capacitor></capacitor>			
R3227 R3228 R3229 R3230	1-216-045-00 1-216-073-00	METAL CHIP 680 ) METAL GLAZE 680 ) METAL GLAZE 10K ) METAL GLAZE 10K	0 50% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W	C201 C202 C203 C204 C205	1-104-665-11 1-102-125-00 1-130-489-00 1-124-902-00 1-104-665-11	CERAMIC FILM ELECT	100MF 0 0047MF 0 033MF 0 47MF 100MF	20% 10% 5% 20% 20%	25V 50V 50V 50V 25V
R3231		METAL GLAZE 10K	5%	1/10W	C206	1-124-902-00		0 47MF	20%	50V
R3232 R3233 R3234 R3235	1-216-049-91 1-216-651-11 1-216-043-91	METAL GLAZE 27K METAL GLAZE 1K METAL CHIP 1K METAL GLAZE 560	5% 5% 0 50% 5%	1/10W	C207 C208 C209 C210	1-124-903-11 1-124-768-11 1-124-903-11 1-102-125-00	ELECT ELECT ELECT	1MF 4 7MF 1MF 0 0047MF	20% 20% 20% 10%	50V 50V 50V 50V
R3236		METAL GLAZE 47K	5%	1/10W	C211	1-130-489-00 1-124-768-11		0.033MF 4.7MF	5% 20%	50V 50V
R3237 R3238 R3239 R3241 R3242	1-216-049-91 1-216-043-91 1-216-057-00	METAL GLAZE 560 METAL GLAZE 1K METAL GLAZE 560 METAL GLAZE 2 2K METAL GLAZE 1K	5% 5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	C212 C220 C221 C222	1-124-768-11 1-126-964-11 1-126-964-11 1-126-964-11	ELECT ELECT	10MF 10MF 10MF	20% 20% 20% 20%	50V 50V 50V
R3242		METAL GLAZE 100	5%	1/10W	C223 C226	1-126-964-11 1-104-665-11	ELECT	10MF 100MF	20% 20%	50V 25V
R3244 R3245 R3246 R3247	1-216-025-91 1-216-069-00	METAL GLAZE 100   METAL GLAZE 100   METAL GLAZE 68K   METAL GLAZE 39K	5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W	C232 C233 C234	1-104-664-11 1-104-664-11 1-104-664-11	ELECT	47MF 47MF 47MF	20% 20% 20%	25V 25V 25V
R3248 R3249	1-216-295-91	CONDUCTOR, CHIP METAL GLAZE 22K	5%	1/10W	C236 C238 C239	1-124-902-00 1-104-665-11 1-126-943-11	ELECT	0 47MF 100MF 2200MF	20% 20% 20%	50V 25V 25V



REF. NO.	PART NO.	DESCRIPTION			REMARK	REF NO	PART NO	DESCRIPTION REMARK
C240 C241	1-126-943-11 1-137-399-11		2200MF 0.1MF	20% 5%	25V 50V	D232 D235 D262	8-719-991-33	DIODE 1SS133T-77 DIODE 1SS133T-77 DIODE 1SS133T-77
C242 C243	1-137-399-11 1-137-399-11		0 1MF 0.1MF	5% 5%	50V 50V	D263 D264		DIODE 1SS133T-77 DIODE 1SS133T-77
C244 C245	1-104-665-11 1-137-399-11	FILM	100MF 0.1MF	20% 5%	25V 50V	D501		DIODE 1SS133T-77
C262	1-104-664-11		47MF	20%	25V	D502 D504	8-719-991-33	DIODE MTZJ-T-77-3.9 DIODE 1SS133T-77
C263 C264	1-104-665-11 1-104-665-11	ELECT	100MF 100MF	20% 20%	25V 25V	D505 D506		DIODE 1SS133T-77 DIODE RU-1C
C265 C266 C267	1-104-665-11 1-104-665-11 1-104-664-11	ELECT	100MF 100MF 47MF	20% 20% 20%	25V 25V 25V	D507 D509		DIODE RGP02-20EL-6394 DIODE V09G
C501	1-124-902-00		0.47MF	20%	50V	D510 D511	8-719-900-95	DIODE V09G DIODE 1SS133T-77
C502 C503	1-104-664-11 1-137-370-11	ELECT	47MF 0 01MF	20% 5%	25V 50V	D1001		DIODE MTZJ-33A
C504 C505	1-102-973-00 1-137-372-11	CERAMIC	100PF 0.022MF	5% 5%	50V 50V	D1002	8-719-110-88	DIODE RD39ESB2 (KP-41T25/46S25/53S25)
C506 C507	1-123-024-21 1-107-368-11		33MF 0 047MF	10%	160V 200V			<1C>
C508 C509	1-107-638-11 1-107-368-11	ELECT	33MF 0 047MF	20% 10%	160V 200V	IC201 IC202	8-759-135-80 8-759-090-21	
C510	1-102-030-00		330PF	10%	500V	IC230 IC262	8-759-190-89 8-759-054-12	IC TDA7265
C511 C512	1-137-414-11 1-162-115-00		0 0047MF 330PF	10% 10%	100V 2KV	IC263	8-759-504-46	
C513 C514	1-136-598-11 1-136-613-11	FILM	3MF 0 0068MF		200V 2KV	IC264 IC1001		IC MCT7812CT IC HD14053BFP (KP-41T25/46S25/53S25)
C515	1-162-114-00		0 0047MF		2KV			COLL
C516 C517	1-107-719-11 1-126-971-11 1-126-971-11	ELECT	220MF 470MF 470MF	20% 20% 20%	50V 50V 50V	L501	1_411_180_11	<coil> COIL, CHOKE 15mH</coil>
C518 C519 C1001	1-126-971-11 1-124-903-11 1-126-963-11	ELECT	1MF 4 7MF	20% 20% 20%	50V 50V 50V	L503 L1001	1-406-832-11	COIL, CHORE ISINII COIL, HORIZONTAL LINEARITY(HLC) INDUCTOR 8.2UH
C1001	1-126-964-11		10MF	20%	50V	L1002 L1003	1-408-408-00	INDUCTOR 8.2UH INDUCTOR 100UH
C1003	1-126-965-11		22MF	20%	46S25/53S25) 50V	L1004		INDUCTOR 8 2UH (KP-41T25/46S25/53S25)
C1004	1-126-952-11		1000MF	20%	46S25/53S25) 16V	L1006 L1007		INDUCTOR 8 2UH (KP-41T25/46825/53825) INDUCTOR 8 2UH (KP-41T25/46825/53825)
C1005 C1006	1-104-665-11 1-101-004-00		100MF 0 01MF	20%	25V 50V			<transistor></transistor>
C1007 C1008	1-126-935-11 1-101-004-00		470MF 0 01MF	20%	16V 50V	Q220	8-729-927-14	TRANSISTOR DTC323TS
C1009	1-126-964-11		10 <b>MF</b>	20% 41T25/-	50V 46S25/53S25)	Q221 Q222	8-729-119-76	TRANSISTOR 2SA1175-HFE TRANSISTOR DTC323TS
C1010 C1011	1-126-964-11 1-102-121-00		10MF 0 0022MF	20%	50V 50V	Q223 Q230	8-729-119-76	TRANSISTOR 2SA1175-HFE TRANSISTOR 2SC2785-HFE
			,		46S25/53S25)	Q231		TRANSISTOR 2SC2785-HFE
C1012	1-102-121-00	CERAMIC	0 0022MF	10%	50V	Q232 Q234	8-729-119-78	TRANSISTOR 2SC2785-HFE TRANSISTOR 2SC2785-HFE
		<connector:< td=""><td>&gt;</td><td></td><td></td><td>Q235 Q236</td><td></td><td>TRANSISTOR 2SA1175-HFE TRANSISTOR 2SC2785-HFE</td></connector:<>	>			Q235 Q236		TRANSISTOR 2SA1175-HFE TRANSISTOR 2SC2785-HFE
CN221 CN222		CONNECTOR, I				Q501 Q502		TRANSISTOR 2SA1175-HFE TRANSISTOR 2SA1175-HFE
CN223 CN224	* 1-564-507-11	PLUG, CONNEC	CTOR 4P			Q503 Q504	8-729-119-78	TRANSISTOR 2SC2785-HFE TRANSISTOR 2SC2785-HFE
CN225	* 1-564-513-11	PLUG, CONNEC	CTOR 10P			Q505		TRANSISTOR 2SC2688-LK
CN527	* 1-573-963-11	PIN, CONNECT PIN, CONNECT	OR (PC BC			Q506 Q507	8-729-304-92	TRANSISTOR 2SA1013-O TRANSISTOR 2SB649A-C
	* 1-580-689-11	TAB (CONTACT PIN, CONNECT	ÓR (PC BC			Q508 Q509	8-729-010-98	TRANSISTOR 2SA1013-O TRANSISTOR 2SA1492M-OPY TRANSISTOR 2SD2348LBSONY
CN1026		PIN, CONNECT PLUG, CONNEC		JAKD)	4r	Q510 Q511		TRANSISTOR 2SA1175-HFE
J111020	1 55. 500-11		- 1 - 1 - 1 - 1			Q1001	8-729-119-76	TRANSISTOR 2SA1175-HFE (KP-41T25/46S25/53S25)
		<diode></diode>				Q1002		TRANSISTOR 2SA1175-HFE (KP-41T25/46S25/53S25)
D201 D202	8-719-110-17	DIODE RD10ES	B2			Q1003 Q1004		TRANSISTOR 2SA1175-HFE TRANSISTOR 2SC2785-HFE
D220 D221	8-719-991-33	DIODE 1SS1337 DIODE 1SS1337 DIODE 1SS1337	r-77					
D231	0-117-771-33	PIONE 1991331	1-11			1		



Les composants identifies par une trame et une marque A sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark  $ilde{\Lambda}$  are critical for safety
Replace only with part number specified

REF. NO	PART NO	DESCRIPTION			REMARK	.	REF NO.	PART NO	DESCRIPTION			REMARK	<u>.</u>
		<resistor></resistor>					R522	1-249-417-11		1K	5%		F
R201	1-249-429-11	CARBON	10K	5%	1/4W	ĺ	R523 R524	1-249-426-11 1-215-925-11	CARBON * METAL OXIDE	5 6K 22K	5% 5%	1/4W 3W	F F
R203 R204	1-249-429-11 1-249-429-11		10K 10K	5% 5%	1/4W 1/4W		R525	1-216-373-11	METAL OXIDE	2.2	5%	2W	F
R205	1-249-429-11	CARBON	10K	5%	1/4W		R526	1-216-478-11	METAL OXIDE	390	5%	3W	F
R207	1-249-431-11	CARBON	15K	5%	1/4 <b>W</b>		R528	1-216-475-11	METAL OXIDE	120	5%	3W (KP-41T)	F (25)
R208	1-249-429-11 1-249-431-11		10K	5%	1/4W		R528	1-216-477-11	METAL OXIDE	270 (KP-46S174	5% 1682515	3W	F
R209 R210	1-247-815-91		15K 220	5% 5%	1/4W 1/4W		R529	1-215-912-11	METAL OXIDE		5%	3W	F
R211 R212	1-249-429-11 1-249-441-11		10K 100K	5% 5%	1/4W 1/4W							(KP-41T)	25)
						ļ	R529	1-216-477-11	METAL OXIDE		5%	3W	F
R213 R214	1-249-441-11 1-247-815-91		100K 220	5% 5%	1/4W 1/4W		R530	1-216-475-11	METAL OXIDE	(KP-46S174 120	+0323/3 5%	3W	F
R215 R216	1-249-441-11 1-249-441-11		100K 100K	5% 5%	1/4W 1/4W		R530	1-216-477-11	METAL OXIDE	270	5%	(KP-41T) 3W	25) F
R217	1-247-807-31		100	5%	1/4W				· (	(KP-46S174	46S25/5	3817/538:	25)
R218	1-247-807-31	CARBON	100	5%	1/4W		R531	1-215-912-11	METAL OXIDE	150	5%	3W (KP-41T)	F 25)
R219 R220	1-249-417-11 1-249-429-11		1K 10K	5% 5%	1/4 <b>W</b> 1/4 <b>W</b>	İ	R531	1-216-477-11	METAL OXIDE	270 KP-46S174	5% 46825/5	3W 3817/538	F 25)
R221	1-249-437-11	CARBON	47K	5%	1/4W								23)
R222	1-249-417-11	CARBON	1K	5%	1/4W		R532 R533	1-215-442-00 1-215-443-00		7 5K 8 2K	1% 1%	1/4W 1/4W	
R223	1-249-429-11		10K	5%	1/4W	j	R534 R1001	1-215-437-00	METAL OXIDE	4 7K	1% 5%	1/4W 2W	F
R224 R230	1-249-429-11 1-249-430-11	CARBON	10K 12K	5% 5%	1/4W 1/4W		R1001		METAL OXIDE	22K	5%	2W	F
R231 R233	1-249-429-11 1-249-429-11		10 <b>K</b> 10 <b>K</b>	5% 5%	1/4W 1/4W					(KP-4	11T25/4	16S25/53S	25)
							R1003	1-249-411-11	CARBON	330	5%	1/4W	25)
R234 R235	1-249-441-11 1-249-414-11		100K 560	5% 5%	1/4W 1/4W		R1004	1-249-434-11	CARBON	27K	+1123/4 5%	6S25/53S; 1/4W	23)
R236 R237	1-249-432-11 1-249-414-11		18K 560	5% 5%	1/4W 1/4W		R1005	1-249-436-11	CARBON	39K (KP-4	41T25/4 5%	6S25/53S: 1/4W	25)
R238	1-249-431-11		15K	5%	1/4W					(KP-4	41T25/4	6825/538	25)
R239	1-249-430-11	CARBON	12K	5%	1/4W		R1006 R1007	1-249-434-11 1-249-425-11		27K 4 7K	5% 5%	1/4W 1/4W	
R241 R242	1-249-439-11 1-249-432-11		68K 18K	5% 5%	1/4W 1/4W		R1008	1-247-807-31	CARRON	100	5%	1/4W	
R243	1-247-863-91	CARBON	22K	5%	1/4W				(	(KP-46S174	46S25/5	3817/538	25)
R244	1-247-863-91	CARBON	22K	5%	1/4W		R1010 R1011	1-249-411-11 1-249-425-11		330 4 7K	5% 5%	1/4W 1/4W	
R246 R247	1-247-863-91 1-249-430-11		22K 12K	5% 5%	1/4W 1/4W		R1012	1-249-425-11	CARRON	(KP-4 4 7K	41T25/4 5%	16S25/53S 1/4W	25)
R249	1-247-807-31	CARBON	100	5%	1/4W					(KP-4	41T25/4	6S25/53S	25)
R250 R251	1-249-417-11 1-249-437-11		1K 47K	5% 5%	1/4W 1/4W		R1013	1-247-807-31	CARBON	100 (KP-4	5% 41T25/4	1/4W 16S25/53S	25)
R252	1-249-417-11		1K	5%	1/4W		R1014	1-249-436-11	CARRON	39 <b>K</b>	5%	1/4W	
R255	1-249-429-11	CARBON	10K	5%	1/4W		R1016	1-247-807-31	CARBON	100	5%	1/4W	
R257 R258	1-249-429-11 1-249-429-11		10 <b>K</b> 10 <b>K</b>	5% 5%	1/4W 1/4W		R1017 R1018	1-249-417-11 1-215-432-00		1K 3K	5% 1%	1/4W 1/4W	
R259		METAL OXIDE	4 7	5%	1 <b>W</b>	F	R1019	1-249-441-11	CARBON	100K	5%	1/4W	
R260		METAL OXIDE		5%	1W	F			TO LUCEOU	-n			
R501 R502	1-249-421-11 1-249-429-11		2 2K 10K	5% 5%	1/4W 1/4W				<transformi< td=""><td>ER&gt;</td><td></td><td></td><td></td></transformi<>	ER>			
R503	1-249-441-11 1-249-429-11	CARBON	100K 10K	5% 5%	1/4W 1/4W		T501	1-437-078-00	TRANSFORME	R, HORIZC	NTAL	DRIVE	
R504													
R505 R506	1-215-437-00 1-215-433-00		4 7K 3 3K	1% 1%	1/4W 1/4W				<tuner></tuner>				
R507 R508	1-249-407-11	CARBON	150	5%	1/4W		TU1001 /	1 8-598-047-11	TUNER (BTF-L		415067	(CONEJE 20	O.E.
R508 R509	1-249-421-11 1-249-423-11		2 2K 3 3K	5% 5%	1/4W 1/4W		TU1002 /	∆ 8-598-254-00	TUNER (BTF-W		+1123/-	16825/538	23)
R510	1-249-417-11	CARBON	1K	5%	1/4W								
R511	1-247-895-91	CARBON	470K	5%	1/4W	Г	***	<b></b>	******		****		r skr skr
R512 R513		METAL OXIDE METAL OXIDE		5% 5%	3W 2W	F F	*******	**************************************	<i>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</i>				4.4
R514	1-249-421-11	CARBON	2 2K	5%	1/4W	F							
R515		METAL OXIDE		5%	3W	F							
R516 R517	1-249-430-11 1-249-429-11		12K 10K	5% 5%	1/4W 1/4W	F							
R518 R519	1-249-427-11 1-249-417-11		6 8K 1K	5% 5%	1/4W 1/4W	F	i						
						г							
R520 R521	1-249-423-11 1-249-437-11		3.3K 47K	5% 5%	1/4W 1/4W	F							
						1	i						



REF NO	PART NO	DESCRIPTION		R	EMARK	REF. NO	PART NO	DESCRIPTION			REMARK
	* A-1306-497-A	M BOARD, CO	MPLETE (F	KP-41T2:	5)	C074	1-104-661-91	ELECT	330MF	20%	16V
		M BOARD, CO	MPLETE (F ******* MPLETE (F			C075 C302 C303 C304 C309	1-124-902-00 1-124-902-00 1-126-963-11	ELECT	0 47MF 0 47MF 4 7MF	20% 20% 20% 10%	50V 50V 50V 50V 50V
C001	1-126-935-11	************* <capacitor>  FI FCT</capacitor>	******** 470 <b>M</b> F	20%	16V	C310 C311 C312 C313 C314	1-124-925-11 1-163-017-00 1-104-664-11	CERAMIC CHIP	2 2MF 0 0047MF 47MF	20%	50V 50V 50V 25V 50V
C002 C004 C005 C006	1-126-916-11 1-163-001-11 1-163-001-11		1000MF 220PF 220PF	20% 10% 10% 10%	6 3V 50V 50V 50V	C315 C316 C317 C318	1-126-934-11 1-131-374-00	ELECT TANTALUM CERAMIC CHIP	220MF 33MF	20% 10% 20%	16V 16V 50V 50V
C007 C009 C010 C011 C012	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10% 10% 10%	50V 50V 50V 50V 50V	C319 C320 C321 C323	1-163-031-11	ELECT CERAMIC CHIP CERAMIC CHIP	001MF		50V 50V 50V 50V
C013 C014 C015 C016	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V	C324 C327 C328 C329	1-163-251-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP	100PF 220PF	20% 5% 5% 10%	50V 50V 50V 50V
C017 C018 C019 C020	1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V	C338 C339 C340	1-126-963-11 1-124-464-11 1-163-133-00 1-124-902-00	ELECT CERAMIC CHIP	4 7MF 0.22MF 470PF 0 47MF	20% 20% 5% 20%	50V 50V 50V
C021 C022 C023 C024	1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V	C342 C343 C344 C345				20% 20%	50V 50V 50V 50V
C025 C026 C028	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10%	50V 50V 50V 50V	C346 C347 C348 C349 C350	1-124-902-00 1-163-231-11	CERAMIC CHIP CERAMIC CHIP	0 47MF 15PF	20% 5% 5% 20%	50V 50V 50V 50V 50V
C030 C031 C032 C033	1-163-001-11 1-163-001-11 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF 220PF 220PF	10% 10% 10% 10%	50V 50V 50V 50V 25V	C352 C353	1-163-031-11 1-104-665-11	CERAMIC CHIP ELECT	0 01MF 100MF	20%	50V 25V
C034 C035 C037 C038	1-124-903-11	CERAMIC CHIP ELECT	1MF 0 001MF 330MF	10% 20% 10% 20% 20%	50V 50V 50V 16V 50V	C354 C355 C357	1-126-965-11 1-104-664-11	-	22MF 47MF	5% 20% 20%	50V (KP-41T25) 50V (KP-41T25) 25V (KP-41T25)
C040 C041 C042 C046	1-163-001-11 1-163-001-11 1-163-125-00	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF	10% 10% 5%	50V 50V 50V	C358 C359		CERAMIC CHIP		5% 5%	50V (KP-41T25) 50V
C047 C048 C049 C050	1-163-001-11	ELECT CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	220PF	20% 5% 10%	50V 50V 50V 50V	C360 C361	1-126-964-11 1-126-964-11		10MF 10MF	20% 20%	(KP-41T25) 50V (KP-41T25) 50V (KP-41T25)
C050 C051 C054 C055	1-163-017-00 1-163-001-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 0047MF 220PF	10% 10% 10%	50V 50V 50V	C362 C363		CERAMIC CHIP		5% 10%	50V (KP-41T25) 50V
C056 C057 C058 C060	1-163-229-11 1-163-102-00 1-124-903-11		12PF 24PF 1MF	10% 5% 5% 20%	50V 50V 50V 50V	C364 C365	1-126-964-11		10 <b>MF</b>	20%	(KP-41T25) 50V (KP-41T25) 50V
C062 C063 C064 C065	1-126-964-11 1-126-964-11		10MF 10MF	20% 20%	25V 50V 50V 25V	C366 C368	1-163-227-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	10PF	5% 0 5PF 10%	(KP-41T25) 50V 50V 25V
C066 C067 C068		CERAMIC CHIP FILM		5% 5%	50V 50V 50V	C370 C371	1-104-665-11 1-104-665-11	ELECT	100MF 100MF	20% 20%	25V 25V
C069 C070 C071	1-137-375-11 1-104-664-11 1-124-464-11	FILM ELECT	0 068MF 47MF 0 22MF	5% 20% 20%	50V 25V 50V	CJ001	1-216-295-91	CHIP CONDUCTOR, O			



REF. NO PART NO DESCRIPTION REMARK	REF NO	PART NO	DESCRIPTION	REMARK
CJ002 1-216-295-91 CONDUCTOR, CHIP CJ003 1-216-295-91 CONDUCTOR, CHIP	IC004 IC005		IC Z8622812PSC IC ST24C01FB6	
<connector></connector>	IC006 IC301 IC302		IC MN1280-S IC CXA1477AS IC TA7805S	
CN046 *1-564-512-11 PLUG, CONNECTOR 9P CN052 *1-564-507-11 PLUG, CONNECTOR 4P	125)		«COII »	
(KP-41T25/46S25/53S CN053 *1-564-507-11 PLUG, CONNECTOR 4P CN054 1-573-979-21 CONNECTOR, BOARD TO BOARD 11P CN304 *1-564-512-11 PLUG, CONNECTOR 9P	L003 L004 L005	1-410-476-11	<coil> INDUCTOR 10UH INDUCTOR 33UH INDUCTOR 10UH</coil>	
CN314 *1-564-509-11 PLUG, CONNECTOR 6P (KP-41T25) CN321 1-573-301-21 CONNECTOR, BOARD TO BOARD 20P CN322 1-573-301-21 CONNECTOR, BOARD TO BOARD 20P CN351 *1-564-509-11 PLUG, CONNECTOR 6P	L006 L302 L303	1-410-470-11 1-408-413-00	INDUCTOR 10UH INDUCTOR 22UH (KP-41' INDUCTOR 39UH (KP-41'	,
CN355 *1-565-930-11 CONNECTOR (RECEPTACLE) 30P	L304		INDUCTOR 6 8UH	
CN356 *1-566-367-11 CONNECTOR, HINGE (RECEPTACLE) CN357 *1-564-516-11 PLUG, CONNECTOR 13P CN358 *1-564-508-11 PLUG, CONNECTOR 5P			<transistor></transistor>	
<diode></diode>	Q001 Q002 Q003 Q004	8-729-422-27 8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G	) )
D001 8-719-404-46 DIODE MA110 D002 8-719-404-46 DIODE MA110	Q005		TRANSISTOR 2SD601A-Q	
D003 8-719-404-46 DIODE MA110 D004 8-719-109-89 DIODE RD5 6ESB2 D005 8-719-109-89 DIODE RD5 6ESB2	Q006 Q007 Q008	8-729-216-22 8-729-216-22	TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G	
D006 8-719-109-89 DIODE RD5 6ESB2 D007 8-719-109-89 DIODE RD5.6ESB2	Q009 Q010		TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G	
D008 8-719-002-81 DIODE 1T363 D009 8-719-404-46 DIODE MA110 D010 8-719-404-46 DIODE MA110	Q011 Q012 Q013	8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-C TRANSISTOR 2SA1162-G	2
D011 8-719-404-46 DIODE MA110 D012 8-719-404-46 DIODE MA110	Q014		TRANSISTOR 2SA1162-G (KP-	41T25/46S25/53S25)
D013 8-719-404-46 DIODE MA110 D014 8-719-404-46 DIODE MA110 D015 8-719-404-46 DIODE MA110	Q015		•	41T25/46S25/53S25)
D016 8-719-404-46 DIODE MA110	Q016		TRANSISTOR 2SA1162-G (KP- TRANSISTOR 2SD601A-Q	41T25/46S25/53S25)
D017 8-719-404-46 DIODE MA110 D018 8-719-404-46 DIODE MA110 D019 8-719-404-46 DIODE MA110 D020 8-719-105-91 DIODE RD5 6M-B2	Q017 Q018 Q019 Q301	8-729-216-22 8-729-422-27	TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C TRANSISTOR 2SA1162-G	<b>?</b>
D305 8-719-923-60 DIODE MTZJ-T-77-9 1A D307 8-719-923-60 DIODE MTZJ-T-77-9 1A	Q302 Q303	8-729-216-22	TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G	+
D308 8-719-110-22 DIODE RD11ESB2 D309 8-719-109-84 DIODE RD5 1ESB1 D310 8-719-914-44 DIODE DAP202K	Q304 Q305 Q307	8-729-422-27	TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C	)
D311 8-719-914-43 DIODE DAN202K D312 8-719-404-46 DIODE MA110	Q308 Q309	8-729-216-22	TRANSISTOR 2SA1162-G TRANSISTOR 2SA1162-G	•
D313 8-719-404-46 DIODE MA110 D314 8-719-404-46 DIODE MA110 D315 8-719-109-89 DIODE RD5 6ESB2	Q310 Q311 Q312	8-729-422-27	TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C	j` í
D316 8-719-404-46 DIODE MA110 D317 8-719-110-22 DIODE RD11ESB2	Q313 Q314	8-729-422-27	TRANSISTOR 2SD601A-C	(KP-41T25)
D320 8-719-404-46 DIODE MA110 (KP-41T25) D321 8-719-404-46 DIODE MA110 (KP-41T25) D322 8-719-404-46 DIODE MA110 (KP-41T25)	Q315 Q316 Q317	8-729-422-27	TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C TRANSISTOR 2SA1162-G	(KP-41T25)
D323 8-719-404-46 DIODE MA110 (KP-41T25) D324 8-719-404-46 DIODE MA110 (KP-41T25) D325 8-719-404-46 DIODE MA110 (KP-41T25)	Q318 Q319 Q320	8-729-422-27	TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C TRANSISTOR 2SD601A-C	(KP-41T25)
D325 8-719-404-46 DIODE MA110 (KP-41T25) D326 8-719-110-08 DIODE RD8 2ESB2 D327 8-719-404-46 DIODE MA110	Q321 Q322	8-729-422-27	TRANSISTOR 2SD601A-C	(KP-41T25)
D328 8-719-991-33 DIODE 1SS133T-77			<resistor></resistor>	
<ic></ic>	R001		METAL GLAZE 1K	5% 1/10W
IC001 8-759-112-06 IC uPC78N05H IC002 8-752-859-03 IC CXP85332A-056S IC003 8-759-370-33 IC ST24C04FB6	R002 R003 R004 R005	1-216-033-00 1-216-033-00	METAL GLAZE 1K METAL GLAZE 220 METAL GLAZE 220 METAL GLAZE 220	5% 1/10W 5% 1/10W 5% 1/10W 5% 1/10W



									L
REF. NO	PART NO	DESCRIPTION		REMARK	REF NO	PART NO	DESCRIPTION		REMARK
R006	1 216 022 00	METAL GLAZE 220	5%	1/10W	R075	1 216 060 00	METAL GLAZE	6 8K 59	% 1/10W
R007		METAL GLAZE 220 METAL GLAZE 220	5%	1/10W	R075		METAL GLAZE		
R007		METAL GLAZE 220	5%	1/10W	R077		METAL GLAZE		
R009		METAL GLAZE 220	5%	1/10W	R078		METAL GLAZE		% 1/10W
R010	1-216-073-00	METAL GLAZE 10K	5%	1/10W					
					R079		METAL GLAZE		
R011		METAL GLAZE 220	5%	1/10W	R080		METAL GLAZE		
R012		METAL GLAZE 220	5%	1/10W	R081		METAL GLAZE		
R013		METAL GLAZE 10K	5% 5%	1/10W 1/10W	R082 R083		METAL GLAZE METAL GLAZE		
R014 R015		METAL GLAZE 10K METAL GLAZE 220	5%	1/10W 1/10W	K063	1-210-003-00	METAL OLAZE	47K 3	70 1710**
KO13	1-210-033-00	MILITAL GLAZE 220	370	1/10**	R084	1-216-073-00	METAL GLAZE	10K 59	% 1/10W
R016	1-216-033-00	METAL GLAZE 220	5%	1/10W	R085		METAL GLAZE		% 1/10W
			KP-41T25/	46\$25/53\$25)	R086		METAL GLAZE		% 1/10W
R017	1-216-073-00	METAL GLAZE 10K	5%	1/10W	R087		METAL GLAZE		
D010	1 01/ 040 01			46S25/53S25)	R088	1-216-089-91	METAL GLAZE	47K 59	% 1/10 <b>W</b>
R018		METAL GLAZE 1K	5%	1/10W	DANA	1 216 065 00	METAL GLAZE	4.7K 59	% 1/10W
R019 R020		METAL GLAZE 220 METAL GLAZE 220	5% 5%	1/10W 1/10W	R089 R090		METAL GLAZE		
K020	1-210-055-00	METAL GLAZE 220	570	1/10**	R091		METAL GLAZE		
R021	1-216-033-00	METAL GLAZE 220	5%	1/10W	11051				25/46S25/53S25)
R022		METAL GLAZE 100K	5%	1/10W	R092	1-216-081-00	METAL GLAZE		
R023		METAL GLAZE 1M	5%	1/10W				(	25/46S25/53S25)
R024		METAL GLAZE 47K	5%	1/10W	R093	1-216-295-91	CONDUCTOR, C	CHIP (KP-41T)	25/46825/53825)
R025	1-216-073-00	METAL GLAZE 10K	5%	1/10W	R094	1 216 091 00	METAL CLAZE	22K 5	% 1/10 <b>W</b>
R026	1.216-073.00	METAL GLAZE 10K	5%	1/10W	K094	1-210-081-00	METAL GLAZE		25/46S25/53S25)
R020 R027		METAL GLAZE 10K	5%	1/10W 1/10W	R095	1-216-081-00	METAL GLAZE		
R028		METAL GLAZE 47K	5%	1/10W	11070				25/46S25/53S25)
R029		METAL GLAZE 47K	5%	1/10W	R096	1-216-081-00	METAL GLAZE		
R031	1-216-065-00	METAL GLAZE 47K	5%	1/10 <b>W</b>					25/46\$25/53\$25)
					R097	1-216-081-00	METAL GLAZE		
R032		METAL GLAZE 47K	5%	1/10W	DOOR	1 216 001 00	METAL CLATE		(25/46S25/53S25)
R033 R034		METAL GLAZE 4.7K METAL GLAZE 10K	5% 5%	1/10 <b>W</b> 1/10 <b>W</b>	R098	1-210-001-00	METAL GLAZE		% 1/10W 25/46S25/53S25)
R034		METAL GLAZE 10K	5%	1/10W	i !			(111-411	23140023133023)
R036		METAL GLAZE 100	5%	1/10W	R099	1-216-081-00	METAL GLAZE	22K 5	% 1/10W
									25/46S25/53S25)
R037		METAL GLAZE 220	5%	1/10W	R100		CONDUCTOR, C		
R038		METAL GLAZE 220	5%	1/10W	R101		METAL GLAZE		% 1/10W
R039		METAL GLAZE 100	5%	1/10W	R102		METAL GLAZE		
R040		METAL GLAZE 220	5% 5%	1/10W 1/10W	R103	1-216-045-00	METAL GLAZE	680 5	% 1/10W
R041	1-210-033-00	METAL GLAZE 220	370	1/10 W	R104	1-216-033-00	METAL GLAZE	220 59	% 1/10W
R042	1-216-033-00	METAL GLAZE 220	5%	1/10W	R106		METAL GLAZE		
R043		METAL GLAZE 10K	5%	1/10W	R107		METAL GLAZE		
R044		METAL GLAZE 47K	5%	1/10W	R108		METAL GLAZE		
R045		METAL GLAZE 220	5%	1/10W	R109	1-216-033-00	METAL GLAZE	220 5	% 1/10W
R046	1-216-033-00	METAL GLAZE 220	5%	1/10W	D110	1 216 022 00	METAL GLAZE	220 5	% 1/10W
R047	1 216 022 00	METAL GLAZE 220	5%	1/10W	R110 R111		METAL GLAZE		% 1/10W % 1/10W
R047 R048		METAL GLAZE 220 METAL GLAZE 10K	5%	1/10W	R112		METAL GLAZE		% 1/10W
R049		METAL GLAZE 220	5%	1/10W	R113		METAL GLAZE		% 1/10W
R050		METAL GLAZE 1K	5%	1/10W	R114		METAL GLAZE		% 1/10W
R051	1-216-049-91	METAL GLAZE 1K	5%	1/10W					
					R115		METAL GLAZE		% 1/10W
R052		METAL GLAZE 47K	5%	1/10W 1/10W	R116 R117		METAL GLAZE METAL GLAZE		% 1/10W % 1/10W
R054 R055		METAL GLAZE 10K METAL GLAZE 1K	5% 5%	1/10W 1/10W	R117		METAL GLAZE		% 1/10W % 1/10W
R056		METAL GLAZE IK	5%	1/10W	R119		METAL GLAZE		% 1/10W
R057		METAL GLAZE 4.7K	5%	1/10W				-	
					R120		METAL GLAZE		% 1/10W
R058		METAL GLAZE 10K	5%	1/10W	R300		METAL GLAZE		% 1/10W
R059		CONDUCTOR, CHIP			R301		METAL GLAZE		% 1/10W
R060		METAL GLAZE 47K	5%	1/10W	R302		METAL GLAZE		% 1/10W
R061	1-216-033-00	METAL GLAZE 220	5% KD 41T25.	1/10W /46S25/53S25)	R303	1-210-049-91	METAL GLAZE	11/ 2	% 1/10W
R062	1-216-085-00	METAL GLAZE 33K	KF-41123/ 5%	1/10W	R304	1-216-049-91	METAL GLAZE	1K 5	% 1/10W
1002	1 210 005-00	ODALL JJK	3 70	1/10 11	R305		METAL GLAZE		% 1/10 <b>W</b>
R063	1-216-041-00	METAL GLAZE 470	5%	1/10W	R306		METAL GLAZE		% 1/10W
R064	1-216-065-00	METAL GLAZE 47K	5%	1/10W	R307		METAL GLAZE		% 1/10W
R065		METAL GLAZE 100K		1/10W	R308	1-216-073-00	METAL GLAZE	10K 5	% 1/10W
R066		METAL GLAZE 1K	5%	1/10W	D200	1 216 025 01	METAL OLAGE	100 -	of. 1/1000
R067	1-210-049-91	METAL GLAZE 1K	5%	1/10W	R309		METAL GLAZE METAL GLAZE		% 1/10W % 1/10W
R068	1-216-040-01	METAL GLAZE 1K	5%	1/10W	R310 R311		METAL GLAZE		% 1/10W % 1/10W
R069		METAL GLAZE 18 METAL GLAZE 10K	5%	1/10W 1/10W	R311		METAL GLAZE		% 1/10W
R071		METAL GLAZE 10K	5%	1/10W	R313		METAL GLAZE		% 1/10W
R072		METAL GLAZE 470	5%	1/10W					
R073		METAL GLAZE 1K	5%	1/10W	R314		METAL GLAZE		% 1/10W
D07.4	1 016 040 04	METAL OF ACT 12	<i></i>	1/10337	R315		METAL GLAZE		% 1/10W
R074	1-216-049-91	METAL GLAZE 1K	5%	1/10W	R317	1-210-055-00	METAL GLAZE	220 5	% 1/10W

M G

Les composants identifies par une trame et une marque  $\hat{\Lambda}$  sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark  $ilde{\Lambda}$  are critical for safety
Replace only with part number specified

REF NO.	PART NO	DESCRIPTION		REMARK ;	REF. NO	PART NO	DESCRIPTION			REMARK
R318		METAL GLAZE 8 2K	5%	1/10W	R375	1-216-075-00	METAL GLAZE	12K	5%	1/10W
R319		METAL GLAZE 470	5%	1/8W	R376	1-216-093-00	METAL GLAZE	68K	5%	(KP-41T25) 1/10W
R320 R321 R323	1-216-190-00	METAL GLAZE 47K METAL GLAZE 470 CONDUCTOR, CHIP	5% 5%	1/10W 1/8W	R377	1-216-043-91	METAL GLAZE	560	5%	(KP-41T25) 1/10W (KP-41T25)
R324 R325	1-216-025-91	METAL GLAZE 100 METAL GLAZE 560	5% 5%	1/10 <b>W</b> 1/10 <b>W</b>	R378	1-216-059-00	METAL GLAZE	2 7K	5%	1/10 <b>W</b>
R326		METAL GLAZE 15K	5%	1/10W	R379	1-216-083-00	METAL GLAZE	27K	5%	(KP-41T25) 1/10W
R327 R328	1-216-025-91	METAL GLAZE 220 METAL GLAZE 100	5% 5%	1/10W 1/10W	R380	1-216-097-91	METAL GLAZE	100 <b>K</b>	5%	(KP-41T25) 1/10W
R329 R330		METAL GLAZE 33K METAL GLAZE 390	5% 5%	1/10W 1/10W	R381	1-216-071-00	METAL GLAZE	8 2K	5%	(KP-41T25) 1/10W
R331 R332		METAL GLAZE 27K METAL GLAZE 1K	5% 5%	1/10W 1/10W	R382	1-216-085-00	METAL GLAZE	33K	5%	(KP-41T25) 1/10W (KP-41T25)
R333 R335 R336	1-216-033-00	METAL CHIP 15K METAL GLAZE 220 METAL GLAZE 220	0 50% 5% 5%	1/10W 1/10W 1/10W	R383	1-216-043-91	METAL GLAZE	560	5%	1/10W (KP-41T25)
R337		METAL GLAZE 1K	5%	1/10W	R384	1-216-053-00	METAL GLAZE	1 5K	5%	1/10W (KP-41T25)
R338 R339	1-216-049-91	METAL GLAZE 1K METAL CHIP 1 5K	5% 0 50%	1/10W	R385	1-216-085-00	METAL GLAZE	33K	5%	1/10W (KP-41T25)
R340 R341	1-216-033-00	METAL GLAZE 220 METAL GLAZE 220	5% 5%	1/10W 1/10W	R386	1-216-121-91	METAL GLAZE	1 <b>M</b>	5%	1/10W (KP-41T25)
R342		METAL GLAZE 220	5%	1/10W	R387	1-216-049-91	METAL GLAZE	1K	5%	1/10W (KP-41T25)
R343 R344 R345	1-216-077-00 1-216-073-00	METAL GLAZE 15K METAL GLAZE 10K METAL GLAZE 100	5% 5% 5%	1/10W 1/10W 1/10W	R388	1-216-025-91	METAL GLAZE	100	5%	1/10W (KP-41T25)
R346		METAL GLAZE 100 METAL GLAZE 330	5%	1/10 <b>W</b>	R389	1-216-033-00	METAL GLAZE	220	5%	1/10W (KP-41T25)
R347 R348		METAL GLAZE 470 METAL GLAZE 1K	5% 5%	1/10W 1/10W	R390 R391	1-216-061-00	METAL GLAZE METAL GLAZE METAL GLAZE	3 3K	5% 5% 5%	1/10W 1/10W 1/10W
R349		METAL GLAZE 220	5%	(KP-41T25) 1/10W	R392 R393		METAL GLAZE		5%	1/10W
R350 R351		METAL GLAZE 220 METAL GLAZE 220	5% 5%	1/10W 1/10W					370	(KP-41T25)
R352	1-216-057-00	METAL GLAZE 22K	5%	1/10W	R394	1-210-293-91	CONDUCTOR, C	,nir		
R353	1-216-069-00	METAL GLAZE 68K	5%	(KP-41T25) 1/10W (KP-41T25)			<crystal></crystal>			
R354		METAL GLAZE 15K METAL GLAZE 82K	5% 5%	1/10W 1/10W	X001 X301		VIBRATOR, CR. OSCILALTOR, C			
R355 R356		METAL GLAZE 8 2K METAL GLAZE 180	5%	1/10W 1/10W (KP-41T25)	X302		OSCILLATOR, O			
R357		METAL GLAZE 180	5%	1/10W (KP-41T25)	*****	******	******	******	*****	*****
R358 R359		METAL GLAZE 1K METAL GLAZE 330	5% 5%	1/10W 1/10W (KP-41T25)		* A-1316-212-A	G BOARD, CO	and and and and and and and a		
R360 R361		METAL GLAZE 270 METAL GLAZE 1K	5% 5%	1/10W 1/10W		* 4-047-936-01	PLATE, SHIELD	, PIT		
R362	1-216-035-00	METAL GLAZE 270	5%	1/10W			<capacitor></capacitor>			
R363	1-216-049-91	METAL GLAZE 1K	5%	(KP-41T25) 1/10W	C/01	A 1 196 911 51		0.47MF	20%	125V
R364	1-216-025-91	METAL GLAZE 100	5%	(KP-41T25) 1/10W	C602	<u> </u>	ELECT	0.0022MF 0.0022MF	20%	250V 250V
R366	1-216-053-00	METAL GLAZE 15K	5%	(KP-41T25) 1/10W	C604	A 1-125-692-11	ELECT(BLOCK)	820MF	20% 20% 20%	200V 200V
R367	1-216-057-00	METAL GLAZE 22K	5%	(KP-41T25) 1/10W			CERAMIC	1000PF	10%	500V
D260	1 216 025 01	METAL CLAZE 100	<b>5</b> 01	(KP-41T25)	C609	1-164-645-11 1-164-645-11	CERAMIC	1000FF 1000PF 0 47MF	10% 10% 5%	500V 500V 50V
R368		METAL GLAZE 100	5%	1/10W (KP-41T25)		1-136-173-00 1-136-171-00	FILM	0 33MF	5% 5%	50V
R369		METAL GLAZE 33K	5%	1/10W (KP-41T25)		1-136-171-00		0 47MF 0 33MF	5% 5%	50V 50V
R370 R371		METAL GLAZE 220 METAL GLAZE 1K	5% 5%	1/10W 1/10W	C613 C614		CAPACITOR	0 0015MF 0.033MF		500V 500V 630V
R372	1-216-051-00	METAL GLAZE 12K	5%	(KP-41T25) 1/10W (KP-41T25)	C616	1-129-720-00 <u>↑</u> 1-136-311-51 <u>↑</u> 1-113-910-91	FILM	0.033MF 0.47MF 470PF	20% 10%	125V 250V
R373	1-216-035-00	METAL GLAZE 270	5%	1/10W	C619	<u> </u>		470 <b>PF</b>	10%	250V
R374	1-216-085-00	METAL GLAZE 33K	5%	(KP-41T25) 1/10W	C652	1-128-548-11 1-128-548-11	ELECT	4700MF 4700MF 0 001MF	20% 20% 10%	25V 25V 500V
				(KP-41T25)	C653	1-162-318-11	CERAMIC	OUTIMIL	10%	200 <b>v</b>

The componants identified by shading and mark  $\triangle$  are critical for safety Replace only with part number specified

Les composants identifies par une trame et une marque  $\hat{\Lambda}$  sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie 



REF. NO.	PART NO	DESCRIPTION			REMARK	REF NO	PART NO	DESCRIPTION	REMARK
C656	1-128-548-11	ELECT	4700MF	20%	25V	D671		DIODE 155133T-77	***************************************
C657	1-126-926-11		1000MF	20%	10V	D672 D673	8-719-110-49	DIODE RD2 2ESB2 DIODE RD18ESB2	
C658 C659	1-126-768-11 1-126-944-11		2200MF 3300MF	20% 20%	16V 25V	D674 D675		DIODE 1SS133T-77 DIODE RD5 1ESB2	
C660 C661	1-164-644-11 1-123-024-21		330PF 33MF	10%	500V 160V	D676	8-719-991-33	DIODE 1SS133T-77	
C662	1-107-636-11		10 <b>M</b> F	20%	160V	D677 D678	8-719-991-33	DIODE 1SS133T-77 DIODE 1SS133T-77	
C663 C664	1-126-948-11 1-126-235-11	ELECT	100MF 100MF	20% 20%	35V 6 3V	D679 D680	8-719-991-33	DIODE 1SS133T-77 DIODE 11ES2	
C665 C667	1-126-964-11 1-126-951-11	ELECT	10MF 470MF	20% 20% 20%	50V 35V	D681		DIODE 11ES2	
						D682	8-719-200-82	DIODE 11ES2	
C668 C669	1-104-664-11 1-162-318-11	CERAMIC	47MF 0 001MF	20% 10%	25V 500V	D683 D685	8-719-991-33	DIODE 11ES2 DIODE 1SS133T-77	
C670 C671	1-104-664-11 1-104-664-11	ELECT	47MF 47MF	$\frac{20\%}{20\%}$	25V 25V	D686		DIODE ISS133T-77	
C672	1-104-665-11		100MF	20%	25V	D687 D688		DIODE RD5 1ESB2 DIODE 1SS133T-77	
C673 C674	1-104-664-11 1-104-664-11		47MF 47MF	20% 20%	25V 25V	D689 D690		DIODE 1SS133T-77 DIODE RD5 6ESB2	
C675 C676	1-104-664-11 1-104-664-11		47MF 47MF	20% 20%	25V 25V	D691	8-719-991-33	DIODE 1SS133T-77	
C677		ELECT(BLOCK)		20%	160V	D693	8-719-991-33	DIODE 1SS133T-77	
C678 C679	1-107-635-11 1-164-644-11		4 7MF 330PF	20% 10%	160V 500V			<fuse></fuse>	
C680 C682	1-124-903-11 1-124-903-11	ELECT	1MF 1MF	20% 20%	50V 50V	F601 /	1.576.103.11	FUSE 6.3A/125V	
C683	1-107-635-11		4 7MF	20%	160V	1001		CLIP, FUSE ; F601	
C690	1-126-934-11 1-126-964-11		220MF	20%	16V			TODITE DE LO	
C691	1-120-904-11	ELECT	10 <b>MF</b>	20%	50V	70/51	1 410 000 41	<ferrite bead=""></ferrite>	ICMOD A LEVY
		<connector></connector>				FB651 FB652		FERRITE BEAD INDU FERRITE BEAD INDU	
CN606		TAB (CONTACT						10	
CN615 CN616	* 1-564-507-11	TAB (CONTACT PLUG, CONNEC	TOR 4P					<ic></ic>	
CN617 CN624		PIN, CONNECTO PLUG, CONNEC		R)		IC651 / IC652		POWER MODULE (D IC MCT7812CT	M-48)
CN625		PLUG, CONNEC							
CN626 CN653	* 1-564-507-11	PLUG, CONNEC PLUG, CONNEC	TOR 4P					<coil></coil>	
CN681	* 1-573-986-11	PIN, CONNECTO	OR (PC BO	ARD) 51	Р	L651 L652	1-403-588-11	CIL, CHOKE 22UH CIL, CHOKE 22UH	
		<diode></diode>				L653 L654	1-412-519-11 1-403-588-11	INDUCTOR 3 3UH CIL, CHOKE 22UH	
D601	∆ 8-719-052-29	DIODE LN4SB60	)-F			L655		CIL, CHOKE 22UH	
D604 D605	8-719-991-33	DIODE 1SS133T DIODE 1SS133T	-77			L656 L657		INDUCTOR 3 3UH CIL, CHOKE 22UH	
D606 D607	8-719-991-33	DIODE 1SS133T DIODE 1SS133T	-77			L658		CIL, CHOKE 22UH	
D608		DIODE 188133T						<transistor></transistor>	
D609 D610	8-719-991-33	DIODE 1SS133T DIODE 1SS133T	-77			0601	9 720 010 40		2454
D611	8-719-991-33	DIODE 1SS133T	-77			Q601 Q602	8-729-019-49	TRANSISTOR 2SC483	34 <b>M</b>
D651		DIODE D4SBS4-				Q651 Q652	8-729-119-76	TRANSISTOR 2SA120 TRANSISTOR 2SA117	75-HFE
D655 D656	8-719-022-97	DIODE D10SBS <sup>2</sup> DIODE D2S4MF				Q653		TRANSISTOR 2SC245	
D657 D658	8-719-022-97	DIODE D2S4MF DIODE D2S4MF				Q654 Q655	8-729-230-45	TRANSISTOR 2SA117 TRANSISTOR 2SC245	58-YGR
D659	8-719-022-97	DIODE D2S4MF				Q656 Q657		TRANSISTOR 2SA117 TRANSISTOR 2SC278	
D660 D661		DIODE D2L40-T DIODE D2L40-T				Q658	8-729-119-76	TRANSISTOR 2SA117	75-HFE
D662 D663		DIODE D1NL40- DIODE D1NL40-				Q659 Q660		TRANSISTOR 2SA117 TRANSISTOR 2SA117	
D664		DIODE D1NL20-				Q661 Q662	8-729-119-76	TRANSISTOR 2SA117 TRANSISTOR 2SA117	75-HFE
D665 D666		DIODE 1SS133T DIODE RD22ESI				Q663		TRANSISTOR 2SA11	
D667 D669	8-719-921-80	DIODE MTZJ-11 DIODE 1SS133T	В					>DEGIGTOR	
D670		DIODE 1881331 DIODE RD15ES1				D.CO.	1 210 227 21	<resistor></resistor>	
						R602 /	1-219-236-91	SOLID 2.2N	I 20% 1/2W



Les composants identifies par une trame et une marque  $\hat{\Lambda}$  sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark \(\text{\Lambda}\) are critical for safety.

Replace only with part number specified

REF. NO.	PART NO	DESCRIPTION			REMARK	1	REF NO	PART NO	DESCRIPTION		R 	REMARK
R604 A R605 A	1-205-997-11 1-247-891-91 1-247-891-91 1-202-933-61	CARBON	2.2 330K 330K 0.1	5% 5% 5% 10%	10W 1/4W 1/4W 1/2W 1	F		A 1-755-032-11 A 1-755-032-11				
R607 R608 R609 R610 R611	1-247-891-00 1-247-891-00 1-216-369-00 1-247-891-00 1-247-891-00	CARBON METAL OXIDE CARBON	330K 330K 1 330K 330K	5% 5% 5% 5% 5%	1/4W 1/4W 2W 1/4W 1/4W	F	T602	止 1-427-863-11	<transforme TRANSFORMER TRANSFORMER</transforme 	LINE FIL		T)
R612 R613 R614 R615 R616	1-216-369-00 1-247-791-91 1-247-791-91 1-247-791-91 1-247-791-91	CARBON CARBON	1 22 22 22 22 22	5% 5% 5% 5% 5%	2W 1 1/4W 1/4W 1/4W 1/4W	F	T604 T605	A 1-427-864-12 ▲ 1-427-850-11	TRANSFORMER TRANSFORMER TRANSFORMER	CONVER LINE FIL	TER	
R631 R632 R633 R634 R635	1-247-863-91 1-247-807-31 1-247-807-31 1-249-417-11 1-249-425-11	CARBON CARBON CARBON	22K 100 100 1K 47K	5% 5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		*****		CR BOARD, CO	OMPLETE	*****	*****
R636 R651 R653 R654 R655	1-249-413-11 1-216-370-11 1-249-418-11 1-215-473-00 1-249-441-11	METAL OXIDE CARBON METAL	470 1 2 1 2K 150K 100K	5% 5% 5% 1% 5%	1/4W 2W I 1/4W I 1/4W 1/4W	F F	C701 C702 C703 C704	1-104-664-11 1-107-662-11 1-161-754-00 1-126-768-11	ELECT CERAMIC	47MF 22MF 0 001MF 2200MF	20% 20% 10% 20%	25V 250V 2KV 16V
R656 R657 R658 R659 R660	1-216-369-00 1-249-429-11 1-247-883-00 1-249-417-11 1-249-417-11	CARBON CARBON	1 10K 150K 1K 1K	5% 5% 5% 5% 5%	2W 1 1/4W 1/4W 1/4W 1 1/4W	F F		1-102-050-00 1-102-953-00 1-102-129-00 1-104-664-11 1-107-651-11	CERAMIC CERAMIC CERAMIC ELECT	0 01MF 18PF 0 01MF 47MF 4 7MF	5% 10% 20% 20%	500V 50V 50V 25V 250V
R661 R662 R663 R664 R665	1-215-471-00 1-215-452-91 1-215-421-00 1-249-429-11 1-249-425-11	METAL METAL CARBON	120K 20K 1K 10K 47K	1% 1% 1% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		C710 C714 C715 C716	1-102-157-00 1-162-115-00 1-101-005-00 1-102-050-00	CERAMIC CERAMIC	560PF 330PF 0 022MF 0 01MF	10% 10%	500V 2KV 50V 500V
R666 R667 R668 R670 R671	1-249-429-11 1-249-429-11 1-215-487-00 1-247-895-91 1-249-429-11	CARBON METAL CARBON	10K 10K 560K 470K 10K	5% 5% 1% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		CN701 CN702 CN703	* 1-564-510-11	<connector> PIN, CONNECTOR PLUG, CONNECTOR PLUG, CONNECTOR PLUG, CONNECTOR PLUG</connector>	OR (5mm P TOR 7P	ITCH) 11	P
R672 R673 R674 R675 R676	1-247-807-31 1-249-423-11 1-249-413-11 1-249-429-11 1-249-421-11	CARBON CARBON CARBON	100 3 3K 470 10K 2 2K	5% 5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		CN704 CN705 CN706 CN708	*1-564-512-11 *1-564-511-11 1-695-915-11 1-251-179-11	PLUG, CONNEC PLUG, CONNEC TAB (CONTACT SOCKET, PICTU	TOR 9P TOR 8P		
R677 R678 R679 R680 R681	1-249-417-11 1-249-423-11 1-249-423-11 1-249-413-11 1-249-425-11	CARBON CARBON CARBON	1K 3.3K 3 3K 470 4 7K	5% 5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		CN709 D701		PLUG, CONNEC <diode> DIODE 1SS133T</diode>			
R682 R683 R684 R685	1-249-403-11 1-249-417-11 1-249-417-11 1-247-863-91	CARBON CARBON CARBON CARBON	68 1K 1K 22K	5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W		D702 D703 D704 D705	8-719-991-33 8-719-991-33 8-719-921-86 8-719-210-21	DIODE 1SS133T DIODE 1SS133T DIODE MTZJ-13 DIODE 11EQS04	-77 -77 1		
R686 R687 R688 R689 R690	1-249-429-11 1-249-423-11 1-249-423-11 1-249-429-11 1-247-863-91	CARBON CARBON CARBON	10K 3 3K 3 3K 10K 22K	5% 5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		D706 D707 D708 D710 D711	8-719-921-86 8-719-901-83 8-719-109-89	DIODE 1SS133T DIODE MTZJ-13 DIODE 1SS83 DIODE RD5 6ES DIODE 1SS133T	3 3B2		
R691 R693 R694 R695 R697	1-249-417-11 1-249-425-11 1-249-425-11 1-249-429-11 1-249-413-11	CARBON CARBON CARBON	1K 4 7K 4 7K 10K 470	5% 5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W 1/4W		D713 D716 D717	8-719-921-86	DIODE D1N20R DIODE MTZJ-13 DIODE MTZJ-13 <ic></ic>	}		
R698 R699	1-249-413-11 1-249-429-11 1-249-417-11	CARBON	10K 1K	5% 5%	1/4W 1/4W		IC701	8-759-346-42	IC TDA6101Q/N	3		
							L701	1-408-429-00	<coil> INDUCTOR 470</coil>	UH		

The componants identified by shading and mark  $\triangle$  are critical for safety Replace only with part number specified.

Les composants identifies par une trame et une marque \( \triangle \) sont critiques pour la securite. Ne les remplacer que par une piece portant le numero specifie







REF NO.	PART NO	DESCRIPTION		R	EMARK ;	REF NO	PART NO	DESCRIPTION		I	REMARK	
		<neon lamp=""></neon>						<diode></diode>		-		
NL701	1-519-108-99	LAMP, NEON				D731 D732	8-719-901-83	DIODE MTZJ-13 DIODE 1SS83				
		<transistor></transistor>	•			D736 D737		DIODE D1N20R DIODE MTZJ-13				
Q701	8-729-119-76	TRANSISTOR 2	SA1175-HF	E				<ic></ic>				
		<resistor></resistor>				IC731	8-759-346-42	IC TDA6101Q/N3	3			
R701 R702	1-215-411-00 1-215-414-00	METAL	390 510	1% 1%	1/4W 1/4W			<coil></coil>				
R704 R706 R707	1-202-847-00 1-249-407-11 1-215-423-00	CARBON	560K 150 1 2K	20% 5% 1%	1/2W 1/4W 1/4W	L731	1-408-429-00	INDUCTOR 470	JH			
R708	1-202-883-11		680K	20%	1/2W			<neon lamp=""></neon>				
R709 R710 R711	1-215-437-00 1-215-427-00 1-215-427-00	METAL METAL	4 7K 1 8K 1 8K	1% 1% 1%	1/4W 1/4W 1/4W	NL731	1-519-108-99	LAMP, NEON				
R712 R713	1-213-903-11	METAL OXIDE	1K	5% 20%	2W F			<resistor></resistor>				
R714 R715	1-202-818-00 1-202-818-00 1-249-436-11	SOLID	1K 1K 39K	20% 20% 5%	1/2W 1/2W 1/4W	R731 R733	1-202-847-00 1-202-883-11		560K 680K	20% 20%	1/2W 1/2W	
R716 R718	1-249-437-11 1-249-417-11	CARBON	47K 1K	5% 5%	1/4W 1/4W	R734 R735	1-202-818-00 1-249-407-11	SOLID	1K 150	20% 5%	1/2W 1/4W	
R719	1-247-807-31		100	5%	1/4W	R736	1-249-441-11		100K	5%	1/4W	
R720 R721	1-249-437-11 1-202-549-00	SOLID	47K 100	5% 20%	1/4W 1/2W	R737 R738	1-202-818-00 1-202-549-00	SOLID	1K 100	20% 20%	1/2W 1/2W	
R722	1-202-549-00	SOLID	100	20%	1/2W	R739 R740 R741	1-215-420-00 1-215-427-00 1-249-437-11	METAL	910 1 8K 47K	1% 1% 5%	1/4W 1/4W 1/4W	
		<spark gap=""></spark>				R742		METAL OXIDE		5%		F
SG701 SG702 SG703	1-519-422-11	GAP, SPARK GAP, SPARK GAP, SPARK						<spark gap=""></spark>				
						SG731		GAP, SPARK				
******	*****	******	******	*****	******	SG732 SG733		GAP, SPARK GAP, SPARK				
	* A-1331-499-A	CG BOARD, C										
								*********		*****	******	**
		<capacitor></capacitor>					* A-1331-300- <i>F</i>	A CB BOARD, CO	JNIPLE1E ********			
C731 C732	1-161-754-00 1-107-662-11	ELECT	0 001MF 22MF	10% 20%	2KV 250V							
C733 C736	1-102-050-00 1-126-964-11	ELECT	0 01MF 10MF	20%	500V 50V	C7(1	1 161 754 00	<capacitor></capacitor>	0.001ME	100	arv.	
C738 C739	1-107-651-11 1-102-965-00		4 7MF 39PF	20% 5%	250V 50V	C761 C762 C763	1-161-754-00 1-107-662-11 1-102-050-00	ELECT	0 001MF 22MF 0.01MF	10% 20%	2KV 250V 500V	
C740 C741	1-102-963-00 1-126-964-11 1-102-157-00	ELECT	10MF 560PF	20% 10%	50V 500V	C766 C769	1-102-050-00 1-107-651-11 1-102-965-00	ELECT	4 7MF 39PF	20% 5%	250V 50V	
C742 C743	1-162-115-00 1-101-005-00	CERAMIC	330PF 0 022MF	10%	2KV 50V	C770	1-126-964-11		10MF	20%	50V	
C744	1-102-050-00		0 01MF		500V	C771 C772 C773	1-102-157-00 1-162-115-00 1-101-005-00	CERAMIC CERAMIC	560PF 330PF 0 022MF	10% 10%	500V 2KV 50V	
		<connector:< td=""><td>&gt;</td><td></td><td></td><td>C774</td><td>1-102-050-00</td><td>CERAMIC</td><td>0 01MF</td><td></td><td>500V</td><td></td></connector:<>	>			C774	1-102-050-00	CERAMIC	0 01MF		500V	
CN731 CN732		PIN, CONNECT PLUG, CONNEC		PITCH) 11	P			<connector></connector>				
CN733 CN734	* 1-564-512-11	PLUG, CONNEC	CTOR 9P					PIN, CONNECTO PLUG, CONNEC		PITCH) 1	P	
CN735	* 1-564-509-11	PLUG, CONNEC	CTOR 6P			CN763 CN766	* 1-564-509-11 1-695-915-11	PLUG, CONNECTAB (CONTACT	TOR 6P		904aanaan	6000000-
CN736 CN738		TAB (CONTACT SOCKET, PICTI				CN768	∆ 1-251-179-11	SOCKET, PICTU	IRE TUBE			
						! ! ! ! !		<diode></diode>				
						D761		DIODE MT71 13				

8-719-921-86 DIODE MTZJ-13



Les composants identifies par une trame et une marque \(\Lambda\) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark  $ilde{\Lambda}$  are critical for safety Replace only with part number specified

REF NO	PART NO	DESCRIPTION			REMAI	RK	ı	REF NO	PART NO	DESCRIPTION			REMARK
D762 D763		DIODE 1SS83 DIODE 1SS133T-	-77					C825	1-162-318-11	CERAMIC	0 001MF	10%	500V
D764 D765	8-719-921-86	DIODE MTZJ-13 DIODE MTZJ-13						C826 C827	1-130-467-00 1-107-651-11	FILM ELECT	470PF 4 7MF	5% 20%	50V 250V
D768 D769		DIODE D1N20R DIODE MTZJ-13						C828 C830 C831	1-111-036-11 1-137-420-11 1-126-934-11	FILM	470MF 0 047MF 220MF	20% 10% 20%	16V 100V 16V
		<ic></ic>						C832 C901	1-126-967-11 1-163-251-11	ELECT CERAMIC CHIP	47MF 100PF	20% 5%	50V 50V
IC761	8-759-346-42	IC TDA6101Q/N	3					C902 C903	1-137-370-11 1-137-431-11	FILM	0 01MF 560PF 0 0001MF	5% 5%	50V 50V 50V
		<coil></coil>						C904 C905	1-137-358-11 1-104-665-11		100MF	20%	25V
L761	1-408-429-00	INDUCTOR 4700	JH					C906 C907 C908 C909	1-137-370-11 1-104-665-11 1-137-361-11 1-124-903-11	FILM ELECT FILM	0 01MF 100MF 330PF 1MF	5% 20% 5% 20%	50V 25V 50V 50V
		<neon lamp=""></neon>						C909		CERAMIC CHIP		5%	50V
NL760	1-519-108-99	LAMP, NEON						C912 C913 C915	1-124-903-11 1-124-903-11	ELECT	1MF 1MF	20% 20% 5%	50V 50V 50V
		<resistor></resistor>						C916	1-126-963-11		4 7MF	20%	50 <b>V</b>
R761 R763 R764 R767	1-202-847-00 1-202-883-11 1-202-818-00 1-202-818-00	SOLID SOLID SOLID	560K 680K 1K 1K	20% 20% 20% 20%	1/2W 1/2W 1/2W 1/2W	I I I		C917 C918 C919 C920	1-126-964-11 1-137-364-11 1-126-964-11 1-124-902-00	FILM ELECT ELECT	10MF 0.001MF 10MF 0 47MF 10MF	20% 5% 20% 20% 20%	50V 50V 50V 50V 50V
R768 R769	1-202-549-00 1-215-421-00		100 1K	20% 1%	1/2W			C921 C923	1-126-964-11 1-126-964-11		10MF	20%	50V
R770 R771	1-249-426-11 1-215-427-00	CARBON	5 6K 1 8K	5% 1%	1/4V 1/4V	<b>V</b> <b>V</b>		C924 C925	1-126-935-11 1-137-372-11	ELECT FILM	470MF 0 022MF	20% 5%	16V 50V
R773 R774	1-215-903-11 1-249-407-11	METAL OXIDE CARBON	68K 150	5% 5%	2W 1/4V		F	C926 C927	1-104-665-11 1-137-364-11		100MF 0 001MF	20% 5%	25V 50V
R775	1-202-549-00	SOLID	100	20%	1/2V	V		C929 C930	1-137-416-11 1-137-364-11		0 01MF 0 001MF	10% 5%	100V 50V
		<spark gap=""></spark>						C931 C932 C934	1-126-967-11 1-124-903-11 1-137-370-11	ELECT	47MF 1MF 0 01MF	20% 20% 5%	50V 50V 50V
SG761 SG762	1-519-422-11	GAP, SPARK GAP, SPARK						C935	1-137-370-11 1-137-399-11 1-126-964-11	FILM	0 1MF	10% 20%	100V 50V
SG763	1-519-422-11	GAP, SPARK						C936 C937 C938	1-126-964-11 1-126-935-11	ELECT ELECT	10MF 10MF 470MF	20% 20%	50V 16V
******	******	******	*******	*****	*****	***	*	C939 C940	1-126-964-11 1-104-664-11		10MF 47MF	20% 20%	50V 25V
	* A-1341-885-A	A E BOARD, COI						C941 C942	1-126-964-11 1-104-664-11	ELECT	10MF 47MF	20% 20%	50V 25V
		SCREW (M3X10			7.			C943 C944	1-126-965-11 1-126-964-11		22MF 10MF	20% 20%	50V 50V
	7-322-065-19	RUBBER, SILIC	ON KIV (K	E490W	v)			C945 C946	1-126-964-11 1-124-925-11		10MF 2 2MF	20% 20%	50V 50V
		<capacitor></capacitor>						C947 C948	1-104-665-11 1-104-665-11	ELECT	100MF 100MF	20% 20%	25V 25V
C801 C802		CERAMIC CHIP		20% 5%	160V			C949	1-126-964-11 1-126-964-11		10MF	20% 20%	50V 50V
C803 C805 C806	1-110-626-11 1-136-173-00 1-102-030-00	FILM	330MF 0 47MF 330PF	20% 5% 10%	160V 50V 500V			C950 C951 C955	1-126-964-11 1-109-889-11 1-126-964-11	ELECT	10MF 1MF 10MF	20% 20% 20%	50V 50V 50V
C807	1-106-387-00		0 068MF	10%	200			C980	1-137-368-11	FILM	0 0047MF	5%	50V
C808 C809 C810	1-107-636-11 1-104-664-11 1-130-481-00	ELECT	10MF 47MF 0 0068MF	20% 20% 5%	160 25V 50V					<chip conduc<="" td=""><td>CTOR&gt;</td><td></td><td></td></chip>	CTOR>		
C811	1-137-475-11		2 2MF	10%	250			CJ901 CJ902	1-216-295-91	CONDUCTOR,	CHIP		
C812 C813 C814	1-126-965-11 1-162-318-11 1-126-968-11	CERAMIC	22MF 0 001MF 100MF	20% 10% 20%	50V 500 50V	V		CJ903 CJ904		CONDUCTOR, C			
C815	1-162-114-00 ↑ 1-109-833-11	CERAMIC	0.0047MF 0.0145MF		2KV 2.5K	r				<connector:< td=""><td>•</td><td></td><td></td></connector:<>	•		
C819	1-130-489-00		0 033MF	5%	50V 50V			CN802 CN805		PLUG, CONNECTAB (CONTACT			
C820 C823 C824	1-124-902-00 1-136-601-11 1-126-964-11	FILM	0 47MF 0 01MF 10MF	20% 5% 20%	630° 50V	V		CN827	* 1-573-963-11	PIN, CONNECT PLUG, CONNEC	ÓR (PC BO	ARD) 3	3P
							1						

The componants identified by shading and mark extstyle extstylcal for safety. Replace only with part number specified.

Les composants identifies par une trame et une marque \Lambda sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

 The components identified by 
in this manual have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation. Should replacement be required, replace only with the value originally used.



specified	•	piece perantile numero specific	be	e required,	replace only w	ith the value origi	nally used.			
REF. NO	PART NO	DESCRIPTION REM	1ARK	REF NO	PART NO	DESCRIPTION			REMARK	-
		PIN, CONNECTOR (PC BOARD) 5P PIN, CONNECTOR (PC BOARD) 4P		L803 L804 L901	1-411-286-11	COIL, AIR CORE COIL, CHOKE 2: INDUCTOR 39U	20UH			
CN884 CN885	* 1-573-964-11 * 1-506-371-00	PIN, CONNECTOR (PC BOARD) 6P PIN, CONNECTOR 2P PIN, CONNECTOR 2P		L902		INDUCTOR 39U				
CN904	* 1-564-507-11	PLUG, CONNECTOR 4P				<neon lamp=""></neon>				
		<diode></diode>		NL802	1-519-108-99	LAMP, NEON				
D801 D802	8-719-404-46	DIODE RD5 1ESB2 DIODE MA110		1		<transistor></transistor>				
D803 D804 D805	8-719-908-03	DIODE ERC38-06 DIODE GP08D DIODE ERC06-15S		Q801 Q802		TRANSISTOR 25				
D806 D807	8-719-991-33	DIODE 1SS133T-77 DIODE ERC06-15S		Q803 Q806 Q807	8-729-122-12 8-729-805-07	TRANSISTOR 25 TRANSISTOR 25 TRANSISTOR 25	SA1221-L SD1887-CA			
D808 D809	8-719-500-71 8-719-991-33	DIODE D8LC40 DIODE 1SS133T-77		Q808	8-729-024-30	TRANSISTOR IF	RFI640LF			
D810		DIODE ECCO-15S		Q809 Q810	8-729-231-55	TRANSISTOR 25	SC2878-AB			
D811 D812 D814	8-719-404-46	DIODE EGP20G-PKG23 DIODE MA110 DIODE ERC91-02		Q811 Q813	8-729-823-81 8-729-216-22	TRANSISTOR 25 TRANSISTOR 25	SA1162-G	JB/		
D816 D817	8-719-404-46	DIODE MA110 DIODE MA110		Q901 Q902		TRANSISTOR 25				
D818	8-719-404-46	DIODE MA110		Q903 Q904	8-729-140-96 8-729-422-27	TRANSISTOR 25 TRANSISTOR 25	SD774-34 SD601A-Q			
D819 D901	8-719-404-46	DIODE RD5.1M-B2 DIODE MA110		Q905		TRANSISTOR 25	_			
D902 D904	8-719-404-46	DIODE MA110 DIODE MA110		Q906 Q907 Q908	8-729-231-55	TRANSISTOR 25 TRANSISTOR 25 TRANSISTOR 25	SC2878-AB			
D905 D907		DIODE MA110 DIODE MA110		Q909 Q910	8-729-422-27	TRANSISTOR 25 TRANSISTOR 25	SD601A-Q			
D908 D909	8-719-302-43	DIODE RD5 1M-B2 DIODE RD5 1M-B2		Q911		TRANSISTOR 25				
D911 D912	8-719-105-82	DIODE RD5 1M-B2 DIODE RD5 1M-B2		Q912 Q913 Q914	8-729-029-86 8-729-422-27	TRANSISTOR 25 TRANSISTOR D TRANSISTOR 25	TC124ESA SD601A-Q			
D913 D914 D915	8-719-404-46	DIODE MA110 DIODE MA110 DIODE MA110		Q915	8-729-422-27	TRANSISTOR 25	SD601A-Q			
D916		DIODE RD3 9M-B1				<resistor></resistor>				
D917 D918	8-719-404-46	DIODE MA110 DIODE MA110		R800 R801	1-216-033-00	METAL CHIP METAL GLAZE		0.50% 5%	1/10W	
D919 D920 D921	8-759-157-40	DIODE RD13M-B3 IC uPC574J DIODE RD13M-B3		R802 R804 R805	1-249-421-11 1-249-425-11		2 2K 4 7K 2 7K	5% 5% 5%	1/4W 1/4W 1W	F F
D922		DIODE MA110		R806	1-249-431-11		15K	5%	1/4 <b>W</b>	
D923 D924	8-719-404-46	DIODE MA110 DIODE MA110			1-260-325-11 <u>A</u>	CARBON	560	5%	1/2W 1/4W	
D925 D926		DIODE MA3033-L DIODE MA110		MR809 R810	∆ 1-249-427-11	CARBON CARBON	6 8K	5%	1/4W 1/4W	F
D927	8-719-401-32	DIODE MA3047M-TX		R811 R812 R813	1-216-395-00	METAL GLAZE METAL OXIDE METAL OXIDE	3 3	5% 5% 5%	1/10W 3W 3W	F F
		<ferrite bead=""></ferrite>		R814 R816	1-215-919-11	METAL OXIDE METAL OXIDE METAL GLAZE	2 2K	5% 5%	3W 3W 1/10W	F
FB001	1-410-396-41	FERRITE BEAD INDUCTOR 0 45UH		R817		METAL OXIDE		5%	3W	F
		<ic></ic>		R818 R819		METAL GLAZE		5% 5%	1/4W 1/10W	
IC901 IC902		IC uPC339C IC uPC339C		R820 R821		METAL OXIDE METAL GLAZE		5% 5%	3W 1/10W	F
IC902 IC903 IC904	8-759-711-28	IC NJM2058D IC M5218AP		R822 R823	1-216-041-00	METAL OXIDE METAL GLAZE	470	5% 5%	3W 1/10W	F
IC905		IC LM7912CT		R825 R826	1-216-033-00	METAL OXIDE METAL GLAZE	220	5% 5%	3W 1/10W	
IC906	8-759-279-76	IC MCT7812CT		R830 R831		METAL OXIDE		5% 5%	3W 3W	F F
		<coil></coil>		R832 R836	1-216-049-91 1-202-818-00	METAL GLAZE SOLID	1K 1K	5% 20%	1/10W 1/2W	
L801 L802		COIL, CHOKE 100UH COIL, CHOKE 100UH		R837 R838		METAL OXIDE		5% 5%	1W 1/4W	F



The components identified by 

in this manual have been carefully factory-selected for each set in order to satisfy regulations regarding X-ray radiation. Should replacement be required, replace only with the value originally used.

Les composants identifies par une trame et une marque ⚠ sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark A are critical for safety Replace only with part number specified

REF NO	PART NO	DESCRIPTION	Only Willi		EMARK	y . ¦	REF NO	PART NO	DESCRIPTION		F	EMARK
R839	1-249-429-11	CARBON	10K	5%	1/4W	F	R955	1-214-769-00	METAL	47K	1%	1/4W
R841	1-216-491-11	METAL OXIDE	56K	5%	3W	F			•	10K	0 50%	1/10W
R843 R844	1-202-549-00 1-216-491-11	METAL OXIDE	100 56 <b>K</b>	20% 5%		F	R956 R957	1-218-754-11	METAL CHIP METAL CHIP	120K	0 50%	1/10W
R846	1-202-838-00	SOLID	100 <b>K</b>	20%	1/2W		R958 R959	1-218-756-11 1-214-757-00	METAL CHIP	150K 15K	0 50% 1%	1/10W 1/4W
R847		METAL GLAZE		5%	1/10W	ļ	R960		METAL GLAZE		5%	1/10W
R849 R850	1-247-863-91 1-216-081-00	CARBON METAL GLAZE	22K 22K	5% 5%	1/4W 1/10W		R962	1-208-806-11	METAL CHIP	10K	0 50%	1/10W
R851 R852	1-216-667-11	METAL CHIP METAL CHIP	4 7K 10K	0 50% 0 50%	1/10W 1/10W		R963 R964	1-214-749-00 1-214-757-00		6 8K 15K	1% 1%	1/4W 1/4W
		_					R965	1-216-097-91	METAL GLAZE	100 <b>K</b>	5%	1/10W
R854 R855	1-249-447-11 1-208-822-11	CARBON METAL CHIP	1 47K	5% 0 50%	1/4W 1/10W	F	R966	1-214-757-00	METAL	15K	1%	1/4 <b>W</b>
R856	1-208-822-11	METAL CHIP	47K	0.50%	1/10W		R967	1-216-025-91 1-214-751-00	METAL GLAZE	100 8 2K	5% 1%	1/10W 1/4W
R857 R858		METAL CHIP METAL CHIP	100K 15K	0 50% 0 50%	1/10W 1/10W		R968 R969	1-214-731-00	METAL	1 2K	1%	1/4W
R865	1-216-350-11	METAL OXIDE	1 2	5%	1W	F	R970 R971	1-214-757-00 1-216-121-91	METAL GLAZE	15K 1M	1% 5%	1/4W 1/10W
R866	1-532-781-11	FUSE, MICRO (S METAL GLAZE	SECONDAI	RY) 3 15.			R972	1 216 600 11	METAL CHIP	100K	0 50%	1/10W
R883 R888	1-216-067-00	METAL GLAZE	5 6K	5% 5%	1/10W		R973	1-216-081-00	METAL GLAZE	22K	5%	1/10 <b>W</b>
R901	1-216-065-00	METAL GLAZE	4 7K	5%	1/10W		R974 R975		METAL CHIP METAL GLAZE	100K 560	0 50% 5%	1/10W 1/10W
R902		METAL GLAZE		5%	1/10W		R976		METAL GLAZE		5%	1/10W
R903 R904		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		R977		METAL GLAZE		5%	1/10W
R905 R906	1-247-739-11 1-247-739-11		100 100	5% 5%	1/2W 1/2W		R978 R979		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
						1	R980	1-216-081-00	METAL GLAZE	22K	5%	1/10W
R907 R908		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		R981	1-216-073-00	METAL GLAZE	10K	5%	1/10W
R909 R910		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	ı	R982 ₩R983	1-216-671-11	METAL CHIP METAL GLAZE	6.8K	0.50%	1/10W 1/4W
R911		METAL GLAZE		5%	1/10W		R984	1-216-083-00	METAL GLAZE		5%	1/10 <b>W</b>
R912	1-216-073-00	METAL GLAZE	10K	5%	1/10W		R985 R986		METAL CHIP METAL GLAZE	18 <b>K</b> 1 <b>K</b>	0 50% 5%	1/10W 1/10W
R913 R914		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		R987	1-216-059-00	METAL GLAZE	2 7K	5%	1/10W
R915	1-216-091-00	METAL GLAZE	56K	5%	1/10W	į	MR988 ∠	<u>N</u>	METAL GLAZE			1/4W
R916	1-216-065-00	METAL GLAZE	4 7K	5%	1/10W	ļ	R989 R990		METAL OXIDE METAL OXIDE		5% 5%	2W F 2W F
R917 R918		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		R991	1-208-801-11	METAL CHIP	6 2K	0 50%	1/10W
R919	1-216-077-00	METAL GLAZE	15K	5%	1/10W		R992	1-249-431-11		15K	5%	1/4W
R920 R921		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		R993 R994	1-249-431-11 1-247-807-31		15K 100	5% 5%	1/4W 1/4W
R922	1-216-073-00	METAL GLAZE	10 <b>K</b>	5%	1/10W		R995 R996		METAL CHIP METAL CHIP	12K 22K	0 50% 0 50%	1/10W 1/10W
R923	1-216-077-00	METAL GLAZE	15K	5%	1/10W							
R924 R926		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		R997 R998		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R927	1-249-377-11	CARBON	0 47	5%	1/4W	F	R999	1-216-051-00	METAL GLAZE	1 2K	5%	1/10W
R928		METAL GLAZE		5%	1/10W				CDADY CAD			
R929 R930		) METAL GLAZE ) METAL GLAZE		5% 5%	1/10W 1/10W				<spark gap=""></spark>			
R931 R932		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		SG801	1-519-422-11	GAP, SPARK			
									TD ANGEODM	D.		
R933 R934	1-216-085-00	) METAL GLAZE ) METAL GLAZE	33K	5% 5%	1/10W 1/10W				<transforme< td=""><td></td><td></td><td></td></transforme<>			
R935 R936		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		T801	1-453-189-11	TRANSFORMER	R ASSY, FL		2631//A4S)
R937		METAL GLAZE		5%	1/10W		T802		TRANSFORME		NTAL D	
R938	1-208-810-11	METAL CHIP	15K	0 50%	1/10W		T803 .	A 1-427-980-11	TRANSFORME	C, PEKRIII	5 (LU1)	
R939 R940		) METAL GLAZE ) METAL GLAZE		5% 5%	1/10W 1/10W							
R941	1-216-091-00	METAL GLAZE	56K	5%	1/10W		******	*******	******	******	******	*****
R942		METAL GLAZE	1K	5%	1/10W	į		* A-1346-296-A	A D BOARD, CO			
R943 R944	1-249-377-11 1-216-689-11	CARBON METAL GLAZE	0 47 39K	5% 5%	1/4W 1/10W	F			*********	*****		
R945	1-216-077-00	METAL GLAZE	15K	5%	1/10W				SCREW (M3X10		-)	
R946 R947		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W			1-002-032-09	SCREW +PSW 3	V10		
R948	1-216-051-00	) METAL GLAZE	1.2K	5%	1/10W				<capacitor></capacitor>			
R950 R952	1-216-049-91	METAL GLAZE METAL GLAZE	1K	5% 5%	1/10W 1/10W		C1502	1-126-943-11		2200MF	20%	25V
R954	1-214-777-00		100K	3% 1%	1/10W 1/4W		C1502		CERAMIC CHIP		10%	50V
							•					



REF. NO.	PART NO.	DESCRIPTION			REMARK	REF NO.	PART NO	DESCRIPTION			REMARK
C1504 C1505 C1506	1-126-943-11 1-136-177-00 1-102-228-00	FILM	2200MF 1MF 470PF	20% 5% 10%	25V 50V 500V	C1834 C1835 C1836 C1837	1-163-809-11 1-163-809-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 047MF 0 047MF	10% 10% 10% 10%	25V 25V 25V 25V 16V
C1507 C1508 C1509 C1510 C1511		FILM		10% 5% 20% 10% 10%	50V 50V 50V 100V 100V	C1839 C1840 C1841 C1842	1-126-968-11 1-126-968-11 1-124-903-11 1-126-967-11	ELECT ELECT	100MF 100MF 1MF 47MF	20% 20% 20% 20% 20% 5%	50V 50V 50V 50V 50V 50V
C1512 C1513 C1514 C1515 C1516	1-163-031-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 01MF	10% 5% 5%	100V 50V 50V 50V 50V	C1843 C1844 C1845 C1846 C1847	1-163-251-11 1-126-967-11 1-163-809-11 1-163-809-11	CERAMIC CHIP	100PF 47MF 0 047MF 0 047MF	5% 20% 10% 10% 10%	50V 50V 25V 25V 25V
C1517 C1551 C1603 C1604 C1605	1-126-964-11 1-163-251-11 1-163-251-11	CERAMIC CHIP ELECT CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	10MF 100PF 100PF	5% 20% 5% 5% 5%	50V 50V 50V 50V 50V	C1849 C1850 C1851 C1852		CERAMIC CHIP ELECT ELECT FILM		10% 10% 20% 20% 5% 20%	25V 50V 50V 50V 50V
C1606 C1607 C1608 C1611 C1612	1-163-251-11		100PF	5% 5% 5% 20% 20%	50V 50V 50V 50V 25V	C1853 C1854 C1855 C1856 C1857	1-137-378-11 1-126-963-11 1-124-903-11 1-104-665-11 1-126-968-11	ELECT ELECT ELECT	0 22MF 4 7MF 1MF 100MF 100MF	5% 20% 20% 20% 20%	50V 50V 50V 25V 50V
C1613 C1615 C1617 C1619 C1620	1-126-968-11 1-104-665-11 1-126-941-11 1-104-665-11 1-126-941-11	ELECT ELECT ELECT	100MF 100MF 470MF 100MF 470MF	20% 20% 20% 20% 20%	50V 25V 25V 25V 25V	C1858 C1859 C1860 C1861 C1862	1-163-809-11		0 047MF	10% 10% 10% 20% 20%	25V 25V 25V 50V 50V
C1622 C1701 C1702 C1703 C1704	1-163-099-00		18PF	20% 20% 10% 5% 5%	25V 16V 25V 50V 50V	C1863 C1864 C1865 C1866	1-136-173-00 1-124-903-11 1-124-903-11 1-126-967-11	ELECT ELECT	0 47MF 1MF 1MF 47MF	5% 20% 20% 20%	50V 50V 50V 50V
C1705 C1709 C1723 C1724 C1801	1-163-031-11 1-163-251-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP ELECT	0 01MF 100PF	5% 5% 5% 20%	50V 50V 50V 50V 50V	CJ1 CJ2	1-216-295-91	<chip condu<="" conductor,="" td=""><td>CHIP CHIP</td><td></td><td></td></chip>	CHIP CHIP		
C1802 C1803 C1805 C1806 C1807	1-163-809-11 1-163-127-00	ELECT CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 047MF 270PF	20% 10% 10% 5% 10%	50V 25V 25V 50V 25V	CJ3 CJ4 CJ5 CJ6 CJ7	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP CHIP CHIP		
C1808 C1809 C1810 C1811 C1812	1-104-661-91 1-104-661-91 1-163-809-11		330MF 330MF 0 047MF	10% 20% 20% 10% 10%	25V 16V 16V 25V 25V	CJ8 CJ9 CJ10 CJ11 CJ12	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP CHIP		
C1813 C1814 C1816 C1817 C1818	1-163-275-11 1-163-809-11 1-163-251-11 1-163-251-11	CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP CERAMIC CHIP	0 001MF 0 047MF 100PF 100PF	5% 10% 5% 5% 10%	50V 25V 50V 50V 25V	CJ13 CJ14 CJ15 CJ16 CJ17	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP CHIP		
C1819 C1820 C1821 C1822	1-126-933-11 1-163-005-11 1-124-902-00 1-163-005-11	ELECT CERAMIC CHIP ELECT CERAMIC CHIP	100MF 470PF 0 47MF 470PF	20% 10% 20% 10%	16V 50V 50V 50V	CJ18 CJ19 CJ20	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C CONDUCTOR, C	CHIP CHIP CHIP CHIP		
C1823 C1824 C1825 C1826 C1827		ELECT ELECT ELECT CERAMIC CHIP		20% 20% 20% 20% 10%	50V 50V 50V 50V 25V	CJ22 CJ23 CJ24 CJ25	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR,	CHIP CHIP CHIP CHIP		
C1828 C1829 C1830 C1831 C1832	1-163-809-11 1-163-809-11 1-104-661-91 1-104-661-91	ELECT	0 047MF 0 047MF 330MF 330MF	10% 10% 10% 20% 20%	25V 25V 25V 16V 16V	CJ27 CJ28 CJ29 CJ30	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR,	CHIP CHIP CHIP CHIP		
C1833	1-163-809-11	CERAMIC CHIP	0 047MF	10%	25V	CJ32 CJ33		CONDUCTOR, C			



Les composants identifies par une trame et une marque \(\hat{L}\) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie.

The componants identified by shading and mark A are critical for safety Replace only with part number specified

REF. NO	PART NO	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION REMARK	
CJ34 CJ35		CONDUCTOR, CHIP CONDUCTOR, CHIP		D1949 D1951		DIODE MTZJ-T-77-24 DIODE MTZJ-13	
CJ36 CJ37 CJ38 CJ39 CJ40	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		D1953 D1954		DIODE MTZJ-13 DIODE MTZJ-13 <fuse></fuse>	
CJ42 CJ43 CJ44 CJ45 CJ46	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP			1-533-223-11 A 1-532-745-11	FUSE, GLASS TUBE 3.15A/125V CLIP, FUSE; F1601 FUSE, GLASS TUBE 3.15A/125V CLIP, FUSE; F1602	
CJ47 CJ48 CJ49 CJ50 CJ51	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		IC1501 IC1601 IC1602 IC1701	8-749-010-88	<ic> IC STV9379 IC STK392-010 IC STK392-010 IC CXP85112B-613S</ic>	
CJ52 CJ53 CJ54 CJ56 CJ57	1-216-295-91 1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		IC1702 IC1801 IC1802 IC1803 IC1803	8-759-041-54 8-759-327-52 8-759-327-51 8-759-012-67 8-759-929-64	IC MN1382S IC PM0002B IC PA0053B IC MC7905CT IC LM7905CT	
CJ58 CJ59 CJ60 CJ62 CJ63	1-216-295-91 1-216-295-91 1-216-295-91	CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP CONDUCTOR, CHIP		IC1804 IC1804 IC1805 IC1806 IC1807 IC1807		IC TA7805S IC PM0002B	
	- `	<connector></connector>		IC1808		IC MCT7812CT	
CN1513 CN1612 CN1642	* 1-564-506-11 * 1-564-507-11 * 1-564-507-11	PLUG, CONNECTOR 3P PLUG, CONNECTOR 3P PLUG, CONNECTOR 4P PLUG, CONNECTOR 4P PLUG, CONNECTOR 4P		IC1808 IC1809 IC1931 IC1932			
		PLUG, CONNECTOR 4P PLUG, CONNECTOR 5P				<coil></coil>	
CN1757	* 1-564-516-11	PLUG, CONNECTOR 13P <diode></diode>		L1501 L1502 L1503 L1515 L1516	1-412-533-21 1-412-524-11 1-410-470-11	INDUCTOR 47UH INDUCTOR 47UH INDUCTOR 8 2UH INDUCTOR 10UH INDUCTOR 100UH	
D1501 D1502 D1503 D1505 D1551	8-719-109-89 8-719-971-20 8-719-109-89	DIODE GP08D DIODE RD5 6ESB2 DIODE ERC38-06 DIODE RD5 6ESB2 DIODE MTZJ-T-77-3 9		L1701 L1801 L1802	1-406-975-21	INDUCTOR 10UH COIL, CHOKE 47UH COIL, CHOKE 47UH	
D1552 D1553		3 DIODE 1SS133T-77 3 DIODE 1SS133T-77				<transistor></transistor>	
D1601 D1602 D1603	8-719-908-03 8-719-908-03 8-719-908-03	B DIODE GP08D B DIODE GP08D B DIODE GP08D B DIODE GP08D		Q1501 Q1502 Q1551 Q1552 Q1701	8-729-422-27 8-729-216-22 8-729-422-27	TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q	
D1604 D1803 D1812 D1814 D1825	8-719-991-33 8-719-991-33 8-719-991-33	B DIODE 1SS133T-77 B DIODE 1SS133T-77 B DIODE 1SS133T-77 B DIODE 1SS133T-77		Q1801 Q1802 Q1803 Q1804	8-729-422-27 8-729-216-22 8-729-029-86	TRANSISTOR 2SD601A-Q TRANSISTOR 2SD601A-Q TRANSISTOR 2SA1162-G TRANSISTOR DTC124ESA TRANSISTOR 2SD601A-Q	
D1826 D1827 D1931 D1932 D1934	8-719-982-03 8-719-924-16 8-719-924-16	B DIODE 1SS133T-77 B DIODE MTZJ-3 6A DIODE MTZJ-T-77-24 DIODE MTZJ-T-77-24 DIODE MTZJ-T-77-24		Q1805	8-729-029-86	TRANSISTOR DTC124ESĀ <resistor></resistor>	
D1935 D1936 D1937 D1942 D1945	8-719-924-16 8-719-924-16 8-719-924-16	6 DIODE MTZJ-T-77-24 6 DIODE MTZJ-T-77-24 6 DIODE MTZJ-T-77-24 6 DIODE MTZJ-T-77-24 6 DIODE MTZJ-T-77-24		R1501 R1502 R1504 R1505 R1506	1-208-814-11 1-216-081-00 1-216-085-00	METAL GLAZE 1K 5% 1/10W METAL CHIP 22K 0 50% 1/10W METAL GLAZE 22K 5% 1/10W METAL GLAZE 33K 5% 1/10W METAL GLAZE 1K 5% 1/10W	
D1946 D1947 D1948	8-719-924-16 8-719-924-16	5 DIODE MTZJ-T-77-24 6 DIODE MTZJ-T-77-24 6 DIODE MTZJ-13		R1507 R1508 R1509 R1510			***************************************

The componants identified by shading and mark  $ilde{\Lambda}$  are critical for safety Replace only with part number specified

Les composants identifies par une trame et une marque  $\Delta$  sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie



REF. NO	PART NO	DESCRIPTION		R	EMARK	REF NO	PART NO	DESCRIPTION		R	EMARK
R1511	1-214-671-11			1%	1/4W	R1803 R1804	1-216-057-00	METAL GLAZE METAL GLAZE	2 2K	5% 5%	1/10W 1/10W
R1512 R1513	1-214-671-11		39	5% 1%	3W F 1/4W	R1805		METAL GLAZE		5%	1/10W
R1514 R1515		METAL CHIP METAL CHIP		0 50% 0 50%	1/10W 1/10W	R1806 R1807	1-216-075-00	METAL GLAZE METAL GLAZE	12K	5% 5%	1/10W 1/10W
R1516	1-214-671-11			1%	1/4W	R1808 R1809	1-216-081-00	METAL GLAZE METAL GLAZE	22K	5% 5%	1/10W 1/10W
R1517 R1518	1-216-665-11	METAL CHIP METAL CHIP	3.9K	0 50% 0.50%	1/10W 1/10W	R1810		METAL GLAZE		5%	1/10W
R1520 /	1-249-385-91 1-249-385-91	CARBON	2.2	5% 5%	1/4W F 1/4W F	R1811 R1812	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1521		METAL GLAZE		5%	1/10W	R1813 R1814	1-216-699-11	METAL GLAZE METAL CHIP	100K		1/10W 1/10W
R1522 R1523	1-216-033-00	METAL GLAZE	220	5% 5%	1/10W 1/10W	R1815		METAL CHIP METAL GLAZE	82K	0 50% 5%	1/10W 1/10W
R1551 R1552	1-216-063-91	METAL GLAZE	3 9K	5% 5%	1/10W 1/10W 1/10W	R1816 R1817 R1818	1-216-033-00	METAL GLAZE METAL GLAZE METAL GLAZE	220	5% 5%	1/10W 1/10W 1/10W
R1553 R1554		METAL GLAZE		5% 5%	1/10W	R1819 R1820	1-216-025-91	METAL GLAZE METAL GLAZE	100		1/10W 1/10W 1/10W
R1559 R1562	1-216-073-00	METAL GLAZE METAL GLAZE	10K	5% 5%	1/10W 1/10W 1/10W	R1821		METAL GLAZE		5%	1/10W
R1603 R1604	1-216-663-11	METAL CHIP METAL CHIP	3 3K 3 3K	0 50% 0 50%	1/10W 1/10W	R1823 R1824	1-208-811-11	METAL CHIP METAL CHIP	16K 27K	0 50%	1/10W 1/10W
R1605		METAL CHIP		0 50%	1/10W	R1825 R1826	1-216-685-11	METAL CHIP METAL CHIP	27K 27K	0 50% 0 50%	1/10W 1/10W
R1606 R1607	1-216-663-11	METAL CHIP METAL CHIP	3 3K 3 3K	0 50% 0 50%	1/10W 1/10W	R1827		METAL CHIP	27K	0.50%	1/10W
R1608 R1610		METAL CHIP	3 3K 1K	0 50% 1%	1/10W 1/4W	R1828 R1829	1-216-685-11	METAL CHIP METAL CHIP	27K 27K	0 50% 0 50%	1/10W 1/10W
R1612	1-214-729-00		1K	1%	1/4W	R1830 R1831		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1613 R1615	1-214-673-00 1-214-673-00		4.7 4 7	1% 1%	1/4W 1/4W	R1832	1-216-677-11	METAL CHIP	12K	0 50%	1/10W
R1616 R1618	1-214-673-00 1-214-673-00		47 47	1% 1%	1/4W 1/4W	R1833 R1834	1-216-049-91	METAL GLAZE METAL GLAZE	1K	5% 5%	1/10W 1/10W
R1619	1-214-673-00		47	1%	1/4W	R1835 R1836		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1620 R1621	1-214-673-00 1-214-673-00	METAL	47 47	1% 1%	1/4W 1/4W	R1837		METAL CHIP	10K	0 50%	1/10W
R1622 R1623	1-214-673-00 1-214-729-00		4 7 1 K	1% 1%	1/4W 1/4W	R1838 R1839	1-216-031-00	METAL CHIP METAL GLAZE		0 50% 5%	1/10W 1/10W
R1624	1-214-729-00		1K	1%	1/4W	R1840 R1841		METAL CHIP METAL CHIP	10K 10K	0 50% 0 50%	1/10W 1/10W
R1625 R1626	1-214-673-00 1-214-673-00	METAL	47 47	1% 1%	1/4W 1/4W	R1842 R1843		METAL GLAZE METAL CHIP	100 4 7K	5% 0 50%	1/10W 1/10W
R1627 R1628	1-214-673-00 1-214-673-00		4 7 4 7	1% 1%	1/4W 1/4W	R1844 R1845	1-216-025-91	METAL GLAZE METAL GLAZE	100	5% 5%	1/10W 1/10W
R1629 R1630	1-214-673-00 1-214-673-00		47 47	1% 1%	1/4W 1/4W	R1846		METAL GLAZE METAL GLAZE		5%	1/10W
R1631 R1632	1-214-729-00 1-214-673-00	METAL	1K 47	1% 1%	1/4W 1/4W	R1847 R1848		METAL CHIP METAL GLAZE	10K 15K	0 50% 5%	1/10W 1/10W
R1633	1-214-673-00		47	1%	1/4W	R1849 R1850	1-216-067-00	METAL GLAZE METAL GLAZE	5 6K	5% 5%	1/10W 1/10W
R1634 R1635	1-214-729-00 1-214-673-00		1K 47	1% 1%	1/4W 1/4W	R1851		METAL GLAZE		5%	1/10W
R1636 R1637	1-214-673-00 1-214-673-00	METAL	4 7 4 7	1% 1%	1/4W 1/4W	R1852 R1853		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1638	1-214-673-00	METAL	47	1%	1/4 <b>W</b>	R1854 R1855	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1639 R1640	1-214-673-00 1-214-673-00		4 7 4 7	1% 1%	1/4W 1/4W	R1856		METAL GLAZE		5%	1/10W
R1641 R1642	1-214-673-00 1-214-673-00	METAL	4 7 4 7	1% 1%	1/4W 1/4W	R1857 R1858	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1717		METAL GLAZE		5%	1/10W	R1859 R1860	1-216-025-91	METAL GLAZE METAL GLAZE	100	5% 5%	1/10W 1/10W
R1721 R1737	1-216-033-00	METAL GLAZE METAL GLAZE	220	5% 5%	1/10W 1/10W	R1861		METAL OXIDE		5%	3W F
R1740 R1748	1-216-033-00	METAL GLAZE METAL GLAZE	220	5% 5%	1/10W 1/10W	R1862 R1863	1-216-025-91	METAL OXIDE METAL GLAZE	100	5% 5%	3W F 1/10W
R1749		CONDUCTOR, C		501	1/1007	R1864 R1865	1-216-473-11	METAL OXIDE	56	5% 5%	1/10W 3W F 3W F
R1751 R1752	1-216-073-00	METAL GLAZE METAL GLAZE	10K	5% 5%	1/10W 1/10W	R1866 R1868		METAL OXIDE METAL GLAZE		5% 5%	3W F
R 1753 R 1760 R 1788	1-216-295-91	CONDUCTOR, C CONDUCTOR, C METAL CHIP		0 50%	1/10W	R1869 R1870	1-216-685-11	METAL CHIP METAL CHIP	27K 27K	0 50% 0 50%	1/10W 1/10W 1/10W
R1801		METAL CHIP		5%	1/10W	R1871 R1872	1-216-685-11	METAL CHIP METAL CHIP	27K 27K 27K	0 50% 0 50% 0 50%	1/10W 1/10W 1/10W
R1802		METAL GLAZE		5%	1/10W 1/10W	1072	1 270 005-11	Jan Olli		0 50 10	





Les composants identifies par une trame et une marque \( \frac{\Lambda}{L} \) sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie

The componants identified by shading and mark  $ilde{\Lambda}$  are critical for safety. Replace only with part number specified

DEE NO	DADT NO	DESCRIPTION		Di	EMADE .	DEE NO	PART NO	DESCRIPTION		D	EMARK
REF NO	PART NO	DESCRIPTION			EMARK	REF NO					
R1873 R1874 R1875 R1876 R1877	1-216-685-11 1-208-824-11 1-216-025-91	METAL CHIP METAL CHIP METAL CHIP METAL GLAZE METAL CHIP	27K 56K	0 50% 0.50% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	R1957 R1958 R1959 R1960 R1961	1-208-800-11 1-208-824-11 1-208-806-11 1-208-806-11	METAL CHIP METAL CHIP METAL CHIP METAL CHIP METAL CHIP	56K 5.6K 56K 10K 10K	0.50% 0.50% 0.50% 0.50% 0.50%	1/10W 1/10W 1/10W 1/10W 1/10W
R1878 R1879 R1880 R1881 R1883	1-216-685-11 1-218-768-11 1-216-295-91	METAL CHIP METAL CHIP METAL CHIP CONDUCTOR, C METAL CHIP	27K 470K	0 50%	1/10W 1/10W 1/10W 1/10W	R1962 R1963 R1964 R1965 R1966	1-216-073-00 1-216-049-91 1-216-073-00	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	10K 1K 10K	5% 5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W
R1884 R1885 R1886 R1887 R1888	1-216-049-91 1-216-031-00 1-208-806-11	METAL CHIP METAL GLAZE METAL GLAZE METAL CHIP METAL CHIP		0.50% 5% 5% 0 50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	R1967 R1970 R1971 R1972 R1981	1-208-774-11 1-216-667-11 1-216-111-91	METAL CHIP METAL CHIP METAL CHIP METAL GLAZE METAL OXIDE	470 4 7 <b>K</b> 390 <b>K</b>	5% 0 50% 0 50% 5% 5%	1/10W 1/10W 1/10W 1/10W 3W F
R1889 R1890 R1891 R1892 R1893	1-216-125-00 1-208-806-11 1-216-061-00	METAL CHIP METAL GLAZE METAL CHIP METAL GLAZE METAL GLAZE	10K 3 3K	0 50% 5% 0 50% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	R1982 R1983 R1984 R1985	1-216-077-00 1-216-077-00	METAL OXIDE METAL GLAZE METAL GLAZE METAL GLAZE	15K 15K	5% 5% 5% 5%	3W F 1/10W 1/10W 1/10W
R1895	1-249-389-91 1-216-097-91	METAL GLAZE	4.7 100K	5% 5% 5% 5% 5%	1/4W F 1/10W 1/4W F 1/10W 1/10W	TH1501 TH1801		<thermistor: td="" thermistor="" thermistor<=""><td>&gt;</td><td></td><td></td></thermistor:>	>		
R1899 R1900 R1901 R1902 R1903	1-216-033-00 1-216-025-91 1-216-025-91	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	220 100 100	5% 5% 5% 5% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	X1701	1-579-917-11	<crystal> VIBRATOR, CR</crystal>	YSTAL		
R1904 R1905 R1907 R1908 R1909	1-216-097-91 1-208-810-11 1-208-814-11	METAL GLAZE METAL GLAZE METAL CHIP METAL CHIP METAL GLAZE	100K 15K 22K	5% 5% 0 50% 0 50% 5%	1/10W 1/10W 1/10W 1/10W 1/10W			***************	OMPLETE	****	*****
R1910 R1911 R1912 R1913 R1914	1-216-685-11 1-216-685-11 1-216-685-11	METAL CHIP METAL CHIP METAL CHIP METAL CHIP METAL CHIP	27K 27K 27K 27K 27K 27K	0 50% 0 50% 0 50% 0 50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	C1301 C1304	1-126-964-11 1-126-964-11		10MF 10MF	20% 20%	50V 50V
R1915 R1916 R1917 R1918 R1919	1-216-025-91 1-208-806-11 1-216-667-11	METAL CHIP METAL GLAZE METAL CHIP METAL CHIP METAL CHIP	27K 100 10K 47K 47K	0 50% 5% 0.50% 0.50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	CN1346	1-564-524-11	<connector> PLUG, CONNEC PLUG, CONNEC</connector>	TOR 9P		
R1920 R1923 R1925 R1926 R1927	1-216-677-11 1-216-031-00 1-208-806-11	METAL CHIP METAL CHIP METAL GLAZE METAL CHIP METAL GLAZE	10 <b>K</b>	0 50% 0 50% 5% 0 50% 5%	1/10W 1/10W 1/10W 1/10W 1/10W	D1304 D1305	8-719-053-43	<diode> DIODE SLR-325 DIODE SLR-325</diode>	VCT31		
R1928 R1931 R1935 R1937 R1938	1-216-698-11 1-218-766-11 1-208-806-11	METAL CHIP METAL CHIP METAL CHIP METAL CHIP METAL CHIP	10K 91K 390K 10K 15K	0 50% 0 50% 0 50% 0 50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	IC1301		<ic> IC SBX1780-51</ic>			
R1940 R1941 R1942 R1943 R1944	1-208-806-11 1-208-806-11 1-216-699-11	METAL CHIP METAL CHIP METAL CHIP METAL CHIP METAL CHIP	18K 10K 10K 100K 10K	0 50% 0 50% 0 50% 0 50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	J1301	1-750-517-11	<jack> JACK BLOCK, F</jack>	PIN 3P		
R1947 R1948 R1949 R1950 R1951	1-216-093-00 1-216-659-11 1-216-659-11	METAL GLAZE METAL GLAZE METAL CHIP METAL CHIP METAL CHIP		5% 5% 0 50% 0 50% 0 50%	1/10W 1/10W 1/10W 1/10W 1/10W	R1302 R1303 R1304 R1305	1-249-416-11 1-249-417-11 1-249-425-11 1-249-411-11	CARBON CARBON	820 1K 4 7K 330	5% 5% 5% 5%	1/4W 1/4W 1/4W 1/4W
R1952 R1954 R1955 R1956	1-208-806-11 1-208-806-11	METAL CHIP METAL CHIP METAL CHIP METAL CHIP	10K 10K 10K 5 6K	0 50% 0 50% 0 50% 0.50%	1/10W 1/10W 1/10W 1/10W	R1306 R1307 R1308	1-249-411-11 1-249-420-11 1-247-895-91	CARBON CARBON	330 1 8K 470K	5% 5% 5%	1/4W 1/4W 1/4W



								L	
REF. NO.	PART NO.	DESCRIPTION		R	EMARK	REF NO	PART NO	DESCRIPTION	REMARK
R1309 R1310 R1311	1-247-895-91 1-249-429-11 1-247-815-91	CARBON	470K 10K 220	5% 5% 5%	1/4W 1/4W 1/4W	<b>CJ</b> 1101	1-216-295-91	<chip conductor=""> CONDUCTOR, CHIP</chip>	
R1312 R1314	1-247-804-11 1-247-807-31		75 100	5% 5%	1/4W 1/4W			<filter block=""></filter>	
		<switch></switch>				CM1101	1-473-595-11	COMB FILTER BLOCK	
S1301	1-571-731-11	SWITCH, TACTI	L					<connector></connector>	
\$1302 \$1303 \$1304 \$1305	1-571-731-11 1-571-731-11 1-571-731-11	SWITCH, TACTI SWITCH, TACTI SWITCH, TACTI SWITCH, TACTI	IL IL IL			CN1150 CN1155	1-573-300-21 * 1-565-928-11	PLUG, CONNECTOR 6P CONNECTOR, BOARD 1 CONNECTOR (TUB) 30P CONNECTOR, HINGE (1	TO BOARD 18P
S1306 S1307		SWITCH, TACTI SWITCH, TACTI						<diode></diode>	
						D1101	8-719-110-17	DIODE RD10ESB2	
		**************************************	MPLETE ()			D1102 D1103 D1104 D1105	8-719-110-17 8-719-110-17	DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2	
	* A-1373-562- <i>A</i>	4 U BOARD, CO				D1106	8-719-110-17	DIODE RD10ESB2	
		CARA CITION	(KP-4	1T25/468	\$25/53\$25)	D1107 D1108 D1109 D1111	8-719-110-17 8-719-110-17	DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2	
		<capacitor></capacitor>		***	Z077	D1112		DIODE RD10ESB2	
C1101 C1102 C1103 C1104 C1105	1-126-965-11 1-124-903-11 1-124-903-11 1-163-031-11 1-126-965-11	ELECT ELECT CERAMIC CHIP	22MF 1MF 1MF 0 01MF 22MF	20% 20% 20% 20%	50V 50V 50V 50V 50V	D1113 D1114 D1115 D1120	8-719-110-17 8-719-110-17	DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2 DIODE RD10ESB2	
C1103	1-126-965-11		22MF	20%	50V	D1121 D1122		DIODE MTZJ-13 DIODE MTZJ-13	
C1107 C1108 C1109 C1110	1-124-903-11 1-124-903-11 1-126-965-11 1-124-903-11	ELECT ELECT ELECT	1MF 1MF 22MF 1MF	20% 20% 20% 20% 20%	50V 50V 50V 50V	D1123 D1124 D1125	8-719-921-86 8-719-921-86	DIODE MTZJ-13 DIODE MTZJ-13 DIODE RD5 1ESB1	
C1110	1-124-903-11		1MF	20%	50V	D1126 D1127		DIODE RD10ESB2 DIODE RD10ESB2	
C1121 C1122	1-126-935-11		470MF	20% 5%	16V 50V	D1135		DIODE 1SS133T-77	
C1123 C1124	1-124-903-11 1-126-965-11	ELECT	1MF 22MF	20% 20%	50V 50V			<ic></ic>	
C1125 C1126	1-124-903-11 1-104-665-11	EX DOM	1MF 100MF	20% 20%	50V 25V	IC1101 IC1102		IC CXA1855S IC NJM78M09FA	
C1127 C1128	1-104-663-11		33MF	20% 5%	25V 50V	IC1102		IC NJM78M09FA	
C1129	1-126-965-11		22MF	20%	50V \$25/53\$25)			<jack></jack>	
C1130	1-109-889-11	ELECT	1MF (KP-4	20% 11T25/46	50V \$25/53\$25)	J1101 J1102		TERMINAL BLOCK, S 3 JACK BLOCK, PIN 3P	P
C1131	1-109-889-11	ELECT	1MF	20%	50V \$25/53\$25)	J1104		JACK BLOCK, PIN 3P JACK BLOCK, PIN 2P	
C1132 C1133	1-124-902-00 1-126-965-11		0 47MF 22MF	20% 20%	50V 50V	J1106	1-563-760-11	JACK, MINIATUER (DIA	A 3 5)
C1134	1-104-665-11		100 <b>MF</b>	20%	25V	J1107	1-563-760-11	JACK, MINIATUER (DIA	A 3 5)
C1136 C1137		CERAMIC CHIP		20% 10%	50V 50V			<coil></coil>	
C1138 C1139	1-124-902-00 1-126-964-11	ELECT	0 47MF 10MF	$\frac{20\%}{20\%}$	50V 50V	L1101		INDUCTOR 33UH	
C1145	1-126-934-11		220MF	20%	16V	L1104 L1105		INDUCTOR 18UH INDUCTOR 1mH	
C1146 C1147	1-124-902-00 1-124-902-00	ELECT	0 47MF 0 47MF	20% 20%	50V 50V			TO A MOJOTOR	
C1148 C1149	1-124-902-00 1-124-902-00	ELECT	0 47MF 0 47MF	20% 20%	50V 50V	01100	9 700 016 00	<transistor></transistor>	C
C1150	1-126-934-11		220MF	20%	16V	Q1102 Q1103	8-729-216-22	TRANSISTOR 2SA1162- TRANSISTOR 2SA1162-	-G
C1151 C1152 C1153	1-126-934-11 1-126-934-11 1-104-665-11	ELECT	220MF 220MF 100MF	20% 20% 20%	16V 16V 25V	Q1104 Q1105 Q1106	8-729-216-22	TRANSISTOR 2SD601A- TRANSISTOR 2SA1162- TRANSISTOR 2SA1162-	·G
C1133	1-100-101	LLIK I	TOOME	20 70	23 ¥	Q1100	J-127-210-22	1KA110101 OK 20A1102-	5



REF NO	PART NO	DESCRIPTION		R1	EMARK	REF NO	PART NO	DESCRIPTION			REMARK
Q1107	8-729-422-27	TRANSISTOR 2S				R1169		METAL GLAZE		5%	1/10W
Q1108		TRANSISTOR 2S	D601A-Q	T25/46S	25/53S25)	R1170 R1171		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q1109 Q1110		TRANSISTOR 2S TRANSISTOR 2S				R1172		METAL GLAZE		5%	1/10W
Q1111	8-729-216-22	TRANSISTOR 2S	A1162-G			R1173 R1174	1-216-041-00	METAL GLAZE METAL GLAZE	470	5% 5%	1/10W 1/10W
Q1112 Q1113		TRANSISTOR 2S TRANSISTOR 2S				R1175 R1176		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
Q1114 Q1115	8-729-422-27	TRANSISTOR 2S TRANSISTOR 2S	D601A-Q			R1178	1-216-041-00	METAL GLAZE	470	5%	1/10W
<b>C</b>					1	R1179 R1180		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
		<resistor></resistor>			į	R1181 R1182	1-216-097-91	METAL GLAZE METAL GLAZE	100K	5% 5%	1/10W 1/10W
R1101 R1102		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R1183		METAL GLAZE		5%	1/10W
R1103 R1104	1-247-804-11		75 5	5% 5%	1/4W 1/10W	R1184 R1185	1-216-113-00	METAL GLAZE METAL GLAZE	470K	5% 5%	1/10W 1/10W
R1104	1-247-804-11			5%	1/4W	R1186 R1187	1-216-061-00	METAL GLAZE METAL GLAZE	3 3K	5% 5%	1/10W 1/10W
R1106	1-247-804-11			5%	1/4W	R1188		METAL GLAZE		5%	1/10W
R1107 R1108	1-216-065-00	METAL GLAZE METAL GLAZE	47K 5	5% 5%	1/10W 1/10W	R1190	1-216-295-91	CONDUCTOR, C	HIP	3 70	1/10 VV
R1109 R1110		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R1191 R1192	1-216-295-91	CONDUCTOR, C	HIP		
R1111		METAL GLAZE		5%	1/10W	R1193		METAL GLAZE		5%	1/10W
R1112 R1113	1-216-065-00 1-247-804-11	METAL GLAZE CARBON		5% 5%	1/10W 1/4W	R1194 R1195		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W
R1114 R1115		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W	R1196	1-216-041-00	METAL GLAZE		1T25/46 5%	(S25/53S25) 1/10W
R1116		METAL GLAZE		5%	1/10W	R1197		METAL GLAZE		5%	1/10 <b>W</b>
R1117 R1118	1-216-095-00	METAL GLAZE METAL GLAZE	82K 5	5% 5%	1/10W 1/10W						
R1119	1-216-025-91	METAL GLAZE	100	5%	1/10W	*******	*******	********	******	*****	*****
R1120		METAL GLAZE		5%	1/10W		* A-1390-487-A	ZR BOARD, CO	OMPLETE (	KP-41	Γ25)
R1127 R1129	1-216-041-00	METAL GLAZE METAL GLAZE	470	5% 5%	1/10W 1/10W						
R1130 R1132		METAL GLAZE METAL GLAZE		5% 5%	1/10 <b>W</b> 1/10 <b>W</b>		* A-1390-513-A	ZR BOARD, CO	*****		
R1133	1-216-067-00	METAL GLAZE	5 6K	5%	1/10W			(F	CP-46S17/4	6S25/53	3S17/53S25)
R1134 R1135		METAL GLAZE METAL GLAZE		5% 5%	1/10W 1/10W		4-382-854-11	SCREW (M3X10)	), P, SW (+)	)	
R1137		METAL GLAZE	(KP-41		S25/53S25) 1/10W			<capacitor></capacitor>			
R1138					S25/53S25)						
11130	1-216-065-00	METAL GLAZE		5%		C1403	1-102-978-00	CERAMIC	220PF	5%	50V
D1140		METAL GLAZE	4 7K (KP-41		1/10W \$25/53S25)		1-102-978-00		220PF 33MF	5% 20%	50V (KP-41T25) 160V
R1140	1-216-025-91	METAL GLAZE	4 7K (KP-41)	T25/468 5%	1/10W \$25/53\$25) 1/10W	C1404	1-107-638-11	ELECT	33MF	20%	(KP-41T25) 160V (KP-41T25)
R1141 R1142	1-216-025-91 1-216-041-00 1-216-025-91	METAL GLAZE METAL GLAZE METAL GLAZE	4 7K (KP-41 100 470 100	T25/46S 5% 5% 5%	1/10W 525/53S25) 1/10W 1/10W 1/10W	C1404 C1405	1-107-638-11 1-104-665-11	ELECT ELECT	33MF 100MF	20% 20%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25)
R1141 R1142 R1145 R1146	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-051-00	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	47K (KP-41 100 470 100 1 2K 1 2K	T25/468 5% 5% 5% 5% 5%	1/10W \$25/53\$25) 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406	1-107-638-11 1-104-665-11 1-107-370-11	ELECT ELECT FILM	33MF 100MF 0 1MF	20% 20% 10%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25)
R1141 R1142 R1145 R1146 R1149	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-041-00	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	47K (KP-41 100 470 100 1 2K 1 2K 470	T25/46S 5% 5% 5% 5% 5% 5%	1/10W \$25/53\$25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405	1-107-638-11 1-104-665-11	ELECT ELECT FILM	33MF 100MF	20% 20%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V
R1141 R1142 R1145 R1146	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-041-00 1-216-025-91	METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE METAL GLAZE	4 7K (KP-41 100 470 100 1 2K 1 2K 470	T25/468 5% 5% 5% 5% 5%	1/10W 325/53S25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406	1-107-638-11 1-104-665-11 1-107-370-11	ELECT ELECT FILM ELECT	33MF 100MF 0 1MF	20% 20% 10% 20%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91	METAL GLAZE	4 7K (KP-41 100 470 100 1 2K 1 2K 470 100 100 560	T25/46S 5% 5% 5% 5% 5% 5%	1/10W 325/53S25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406 C1407	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11	ELECT ELECT FILM ELECT FILM	33MF 100MF 0 1MF 100MF	20% 20% 10% 20%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91	METAL GLAZE	4 7K (KP-4I 100 470 100 1 2K 1 2K 470 100 100 560 1K	T25/468 5% 5% 5% 5% 5% 5% 5% 5% 5%	1/10W 325/53S25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-667-11	ELECT ELECT FILM ELECT FILM ELECT	33MF 100MF 0 1MF 100MF	20% 20% 10% 20% 10% 20%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91 1-216-049-91	METAL GLAZE	4 7K (KP-41 100 470 100 1 2K 1 2K 470 100 100 560 1K 470	T25/46S 5% 5% 5% 5% 5% 5% 5% 5% 5% 5%	1/10W 325/53S25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11	ELECT ELECT FILM ELECT FILM ELECT FILM	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF	20% 20% 10% 20% 10% 20%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 200V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91 1-216-049-91 1-216-049-91 1-216-043-91 1-216-045-00 1-216-045-00	METAL GLAZE	4 7K (KP-41 100 470 100 1 2K 1 2K 470 100 100 560 1K 470 1K 560 680	T25/46S 5% 5% 5% 55% 55% 55% 55% 55% 55% 55% 5	1/10W \$25/53\$25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11 1-107-362-11 1-137-364-11	ELECT FILM ELECT FILM ELECT FILM ELECT FILM FILM	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF 0 001MF	20% 20% 10% 20% 10% 20% 10% 5%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157 R1158	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91 1-216-043-91 1-216-043-91 1-216-043-91 1-216-043-91 1-216-043-91	METAL GLAZE	47K (KP-41 100 470 100 1 2K 1 2K 470 100 100 560 1K 470 1K 560 680 560 (KP-41	T25/46S 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5%	1/10W 325/53S25) 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411 C1412	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11	ELECT FILM ELECT FILM ELECT FILM ELECT FILM FILM	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF	20% 20% 10% 20% 10% 20% 10% 5%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 200V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157	1-216-025-91 1-216-041-00 1-216-025-91 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91 1-216-043-91 1-216-043-91 1-216-043-91 1-216-043-91 1-216-043-91	METAL GLAZE	4 7K (KP-41 100 100 12K 12K 470 100 100 1560 1K 470 1K 560 680 (KP-41 680 16K	T25/46S 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5%	1/10W 325/53\$25) 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411 C1412	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11 1-107-362-11 1-137-364-11	ELECT ELECT FILM ELECT FILM ELECT FILM FILM FILM	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF 0 001MF	20% 20% 10% 20% 10% 20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 50V
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157 R1158	1-216-025-91 1-216-025-91 1-216-051-00 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91 1-216-043-91 1-216-043-91 1-216-045-00 1-216-045-00 1-216-045-00	METAL GLAZE	47K (KP-41 100 470 100 1 2K 1 2K 470 100 100 100 100 100 100 100 100 100 1	T25/46S 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% T25/46S 5% T25/46S	1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411 C1412	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11 1-137-364-11	ELECT ELECT FILM ELECT FILM ELECT FILM FILM FILM FILM CERAMIC	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF 0 001MF	20% 20% 10% 20% 10% 20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157 R1158 R1159	1-216-025-91 1-216-041-00 1-216-051-00 1-216-051-00 1-216-041-00 1-216-025-91 1-216-043-91 1-216-049-91 1-216-043-91 1-216-045-00 1-216-045-00 1-216-045-00 1-216-049-91 1-216-045-00 1-216-049-91	METAL GLAZE	4 7K (KP-41 100 470 100 1 2K 1 2K 470 100 100 560 1K 470 1K 560 680 (KP-41 1K 470 470 470 470 470	T25/46S 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5%	1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411 C1412 C1413	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11 1-107-364-11 1-137-364-11 1-137-364-11	ELECT ELECT FILM ELECT FILM ELECT FILM FILM FILM FILM FILM ELECT	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF 0 001MF 0 001MF	20% 20% 10% 20% 10% 20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 26V (KP-41T25) 160V (KP-41T25) 200V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157 R1158	1-216-025-91 1-216-025-91 1-216-051-00 1-216-051-00 1-216-041-00 1-216-043-91 1-216-043-91 1-216-043-91 1-216-043-91 1-216-045-00 1-216-045-00 1-216-045-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00	METAL GLAZE	4 7K (KP-41 100 100 1 2K 1 2K 470 100 100 100 100 100 100 100 100 100 1	T25/46S 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% 5% T25/46S 5% T25/46S 5% 5%	1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411 C1412 C1413 C1414	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00 1-104-661-91	ELECT ELECT FILM ELECT FILM ELECT FILM FILM FILM CERAMIC ELECT CERAMIC	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF 0 001MF 0 0047MF 330MF	20% 20% 10% 20% 10% 20% 10% 5% 5%	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 16V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25)
R1141 R1142 R1145 R1146 R1149 R1150 R1151 R1152 R1153 R1154 R1155 R1156 R1157 R1158 R1159	1-216-025-91 1-216-025-91 1-216-051-00 1-216-051-00 1-216-041-00 1-216-043-91 1-216-049-91 1-216-045-00 1-216-045-00 1-216-045-00 1-216-045-00 1-216-045-00 1-216-045-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-041-00 1-216-113-00	METAL GLAZE	4 7K (KP-41 100 470 100 1 2K 12K 470 100 100 560 1K 470 1K 560 680 (KP-41 1K 470 470 68 470 K	T25/46S 5% 5% 5% 55% 55% 55% 55% 55% 55% 55% 5	1/10W 1/10W	C1404 C1405 C1406 C1407 C1408 C1409 C1410 C1411 C1412 C1413 C1414 C1415	1-107-638-11 1-104-665-11 1-107-370-11 1-104-665-11 1-107-362-11 1-107-362-11 1-107-362-11 1-137-364-11 1-137-364-11 1-161-830-00 1-104-661-91 1-102-947-00	ELECT ELECT FILM ELECT FILM ELECT FILM FILM FILM CERAMIC ELECT CERAMIC	33MF 100MF 0 1MF 100MF 0 0047MF 2 2MF 0 0047MF 0 001MF 0 001MF 330MF 10PF	20% 20% 10% 20% 10% 20% 5% 5% 20% 0 5PF	(KP-41T25) 160V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 25V (KP-41T25) 25V (KP-41T25) 200V (KP-41T25) 160V (KP-41T25) 50V (KP-41T25) 50V (KP-41T25) 16V (KP-41T25) 16V (KP-41T25) 50V (KP-41T25)

The componants identified by shading and mark  $ext{$\Lambda$}$  are critical for safety. Replace only with part number specified.

.

Les composants identifies par une trame et une marque  $\hat{\Lambda}$  sont critiques pour la securite Ne les remplacer que par une piece portant le numero specifie







REF NO	PART NO.	DESCRIPTION			REMARK	REF NO	PART NO	DESCRIPTION			REMARK	ζ
		<connector></connector>					<connector></connector>					
CN1412 CN1413 CN1414	* 1-564-507-11 * 1-564-506-11 * 1-564-509-11	0-689-11 PIN, CONNECTOR (PC BOARD) 4P 4-507-11 PLUG, CONNECTOR 4P 4-506-11 PLUG, CONNECTOR 3P 4-509-11 PLUG, CONNECTOR 6P (KP-41T25) 4-506-11 PLUG, CONNECTOR 3P (KP-46S17/46S25/53S17/53S25)				CN1442 CN1443 CN1445	* 1-564-507-11 * 1-564-506-11 * 1-564-506-11	PIN, CONNECTOR (PC BOARD) 4P PLUG, CONNECTOR 4P PLUG, CONNECTOR 3P PLUG, CONNECTOR 3P (KP-46S17/46S25/53S17/53S25) PLUG, CONNECTOR 7P (KP-41T25)				(25)
CN1415 * 1-564-510-11 PLUG, CONNECTOR 7P (KP-41T25) CN1416 1-695-915-11 TAB (CONTACT) (KP-41T25)							<resistor></resistor>					
CIVITIO	1 0,3 ,13 11	<diode></diode>					1-249-414-11 1-249-414-11 1-216-475-11	CARBON	560 560 120	5% 5% 5%	1/4W 1/4W 3W	F
D1401 D1402		DIODE MTZJ-13 (KP-41T25) DIODE MTZJ-13 (KP-41T25)				R1435 R1436 R1437		METAL OXIDE		5% 5%	3W 1/4W (KP-41T	F
	<transistor></transistor>											
Q1401 Q1402 Q1403	8-729-017-05	TRANSISTOR 2SC4793 (KP-41T25) TRANSISTOR 2SA1837 (KP-41T25) TRANSISTOR 2SD774-34 (KP-41T25)				**************************************						
		<resistor></resistor>										
R1401 R1402	1-249-414-11 1-249-414-11	CARBON	560 560	5% 5%	1/4W 1/4W	CN11 471	*1 500 600 11	<connector></connector>		A D.D.\ 41	D	
R1405 R1406	1-249-417-11 1-216-479-11	METAL OXIDE	1K 560	5% 5%	1/4W (KP-41T25) 3W F	CN1472	* 1-564-507-11	PIN, CONNECTO PLUG, CONNEC PLUG, CONNEC	CTOR 4P	AKD) 4.	r	
R1407	1-249-400-11	CARBON	39	5%	(KP-41T25) 1/4W F (KP-41T25)			<resistor></resistor>				
R1408	1-249-384-11	CARBON	18	5%	1/4W F	R1461	1-249-414-11	CARBON	560	5%	1/4W	
R1409	1-249-384-11	CARBON	1 8	5%	(KP-41T25) 1/4W F	R1462 R1465		METAL OXIDE		5% 5%	1/4W 3W	F
R1410	1-247-734-11	CARBON	39	5%	(KP-41T25) 1/2W F	R1466	1-216-475-11	METAL OXIDE	120	5%	3W	F
R1411	1-249-417-11	CARBON	1 <b>K</b>	5%	(KP-41T25) 1/4W F		ىل بىل بىل بىل بىل بىل بىل بىل بىل بىل ب	*****	. ملت		د د د د د د د د د د د د د د د د د د د	is also also
R1412	1-249-414-11	CARBON	560	5%	(KP-41T25) 1/4W (KP-41T25)	****	*****	MISCELLANEO	US	ኮ ጥ ጥ ጥ ጥ ጥ ጥ	• • • • • • • • •	***
R1413	1-249-432-11	CARBON	18K	5%	1/4W			******				
R1414	1-249-432-11	CARBON	18K	5%	(KP-41T25) 1/4W			RESISTOR ASS' SELECTOR, AN	TENA (AS-	2)		105)
R1415	1-249-414-11	CARBON	560	5%	(KP-41T25) 1/4W F		1-504-785-11 1-556-945-21	SPEAKER (10C)	KP-46S17/4 M)	0823/33	91//339	23)
R1416	1-216-451-11	METAL OXIDE	120	5%	(KP-41T25) 2W F (KP-41T25)		1-557-056-41					
R1417	1-216-475-11	METAL OXIDE	120	5%	3W F			JACK, PIN (F) (F) CORD, POWER			TER)	
R1418	1-249-377-11	CARBON	0 47	5%	1/4W F (KP-41T25)			LEAD ASSY, HV			7.0A/12	5V)
R1419	1-247-815-91	CARBON	220	5%	1/4W (KP-41T25)			DEFLECTION Y			)	
R1420 R1421	1-216-475-11 1-249-417-11	METAL OXIDE CARBON	120 1K	5% 5%	3W F 1/4W (KP-41T25)		<b>∆ 8-736-075-05</b>	BLOCK ASSY, I PICTURE TUBE PICTURE TUBE	07MAC2(0	3)		
****************							∆ 8-736-076-25	PICTURE TUBE	(KP-4 07MAC3(I	(KP-53	817/468 817/538	
* A-1390-489-A ZG BOARD, COMPLETE (KP-41T25)								(KP-4	1T25/46	S17/46S	.25)	
* A-1390-512-A ZG BOARD, COMPLETE ***********************************						Δ 8-736-077-25 PICTURE TUBE 07MAC3(R) (KP-53S17/53S25)						
<capacitor></capacitor>												
C1433	1-102-973-00	CERAMIC	100PF	5%	50V (KP-41T25)							

REF. NO	PART NO.	DESCRIPTION	REMARK	REF NO	PART NO	DESCRIPTION	REMARK
	ACCESSORIES AND PACKING MATERIALS ************************************				* 4-048-105-01	CUSHION (LOWER) (ASSY)	-46S17/46S25)
	3-856-232-11	BAG, POLYETHYLENE MANUAL, INSTRUCTION (KP-4 MANUAL, INSTRUCTION			* 4-048-580-01 * 4-048-581-01	CUSHION (UPPER) (ASSY) (KP CUSHION (LOWER) (ASSY) (K TRAY (KP-41725) INDIVIDUAL CARTON (KP-417	-41T25) P-41T25)
		MANUAL, INSTRUCTION (Cana BOARD, TOP (KP-46S17/46S25)	/46S17/53S17) idian model)			BAG, PROTECTION (KP-41T25) LID, SPEAKER GRILLE (KP-46S17/46S25	
	* 4-041-425-01	SHEET, PROTECTION (KP-41T25, BAG, PROTECTION (KP-46S17/4 BAG, PROTECTION (KP-53S17/5			* 4-051-491-01	BLOCK, FOAM (KP-53S17/53S2	
	* 4-042-463-01	SHEET, PROTECTION (KP-53S17).	7/53S25)			REMOTE COMMANDER ********	
	* 4-047-775-01 * 4-047-776-01	PLATE, TOP (KP-53S17/53S25) PLATE, BOTTOM (KP-53S17/53S TRAY (KP-53S17/53S25)	,				-46S25/53S25)
		INDIVIDUAL CARTON (KP-53S CUSHION (UPPER) (ASSY) (KP-			9-903-826-01	POCKET, COVER (FOR RM-Y1) (KP	18) -46S25/53S25)
	* 4-047-779-01	CUSHION (LOWER) (ASSY) (KP-	-53\$17/53\$25)		1-467-621-11	REMOTE COMMANDER (RM-) (KP-41T25	(121) (46S17/53S17)
	* 4-048-102-01 * 4-048-103-01	INDIVIDUAL CARTON (KP-46S TRAY (KP-46S17/46S25) BOARD, BOTTOM (KP-46S17/46 CUSHION (UPPER) (ASSY) (KP-	S25)		9-903-826-01	POCKET, COVER (FOR RM-Y12 (KP-41T25	21) /46S17/53S17)